

Healthy Youth Survey 2004 Survey Results

Asian or Asian American & Native Hawaiian or other Pacific Islander Students in the Statewide Sample

Grade 10

RMC Research Corporation 522 SW Fifth Avenue, Suite 1407 Portland, OR 97204

Contents

Introduction and Overview	
Key to the Notes	
Highlights of the Local Results	
Selected Results by Gender	
General Information (Items 1–11)	4
Alcohol, Tobacco, and Other Drug (ATOD) Use	5
Lifetime Use (Items 12–22)	
30-Day Use (Items 23–36)	6
Other Tobacco-Related Questions (Items 37–59)	9
Other Alcohol- and Drug-Related Questions (Items 60–63)	12
Other Health Concerns	13
Nutrition and Fitness (Items 64–84)	
Health Conditions and Health Care (Items 85–102)	
Safety (Items 103–113)	19
Behaviors Related to Intentional Injuries (Items 114–124)	21
Depression (Items 125–134)	22
School Climate (Items 135–141)	23
Quality of Life (Items 142–149)	24
Risk and Protective Factors	26
Risk and Protective Factor Framework and Reporting Schedule	
Risk and Protective Factor Scale Results	28
Graph of Scale Results	30
Risk and Protective Factors: Individual Item Results	31
Community Domain (Items 150–173)	
Family Domain (Items 174–196)	
School Domain (Items 197–212)	36
Peer and Individual Domain (Items 213–272)	
List of Core Items	49
Item Index	19

Healthy Youth Survey 2004 Survey Results

Asian or Asian American & Native Hawaiian or other Pacific Islander Students in the Statewide Sample, Grade 10

Number of students surveyed: 590 Number of valid responses: 547

Introduction and Overview

The impact of adolescent health risk behaviors remains a primary concern of citizens throughout the country. Many health problems experienced by adolescents are caused by a very few preventable behaviors. Patterns of alcohol, tobacco, and other drug (ATOD) use and related risk behaviors are often formed during adolescence. These patterns play an important role in health throughout adulthood.

This report presents results from the fall 2004 Healthy Youth Survey in Washington State. This survey was sponsored by the Office of Superintendent of Public Instruction; the Department of Health; the Department of Social and Health Services; the Department of Community, Trade and Economic Development; and the Family Policy Council, in cooperation with schools throughout the state of Washington.

For each item, local results appear in the first two columns and statewide results appear in the second two columns. The number of valid responses ("n") appears in parentheses for each item. Survey items covering the same topics are grouped together (the item numbering is specific to this report and does not necessarily reflect the item order on the actual survey). The bulleted points and graphs included at the beginning of this report highlight selected findings. Additional information may be found in the *Interpretive Guide* that accompanied this report.

Key to the Notes

The survey was administered in 3 versions. Forms A and B were administered to students in Grades 8, 10, and 12. These two forms contained a core set of common items (see "List of Core Items" on the last page of this report) and additional items unique to each form. Form C was administered to students in Grade 6. This form consisted primarily of items drawn from Forms A and B but also included some unique items. Several items on each form were optional at the discretion of the school; schools that did not administer the optional items tore off the last page of the survey booklet. The following notes are used throughout this report to document the differences between the items on different versions and indicate the optional items:

A =wording on Form A

B = wording on Form B

C =wording on Form C


† = optional item

Highlights of the Local Results


Your students and students statewide reported the following behaviors and attitudes:

		Your stu	ıdents	States	wide
•	Smoking cigarettes in the past 30 days (see item 24).	10.0%	$(\pm 3.1\%)$	13.0%	$(\pm 1.4\%)$
•	Drinking alcohol in the past 30 days (see item 30).	22.9	(± 3.1)	32.6	(± 1.6)
•	Using marijuana or hashish in the past 30 days (see item 31).	10.8	(± 2.9)	17.1	(± 1.4)
•	Carrying a weapon in the past 30 days (see item 114).	7.7	(± 2.9)	9.6	(± 1.2)
•	Carrying a weapon at school in the past 30 days (see item 115, 116).	4.6	(± 2.4)	6.9	(± 1.0)
•	Being bullied in the past 30 days (see item 135).	17.3	(± 2.9)	21.8	(± 2.0)
	Enjoyed being in school over the past year (see item 200).	41.2	(± 5.3)	40.8	(± 2.0)
-	Feeling safe at school (see item 211).	76.7	(± 4.1)	80.3	(± 2.5)

Substance Use and Weapon Carrying in the Past 30 Days



Bullying and School Climate



Selected Results by Gender

Selected items are presented by gender to highlight any differences between females and males. The p-values reported after each item can be used to examine whether differences in the local data between females and males are statistically significant. To ensure student anonymity, local results are suppressed for each item on this page if any cell (e.g., females who reported smoking) represented fewer than 15 students.

During the past 30 days, on how many days did you smoke cigarettes? (See item 24.)

None 1 or more

During the past 30 days, on how many days did you drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)? (See item 30.)

None 1 or more

Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) (See item 61.)

None Once or more

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (See item 125.)

No Yes

In the last 30 days, how often have you been bullied? (See item 135.)

I have not been bullied Once or more

I feel safe at my school. (See item 211.)

No Yes

Local		State		
(n = 539)		(n = 7,862)		
Female	Male	Female	Male	
90.5%	89.5%	86.3%	88.0%	
9.5	10.5	13.7	12.0	
<i>Note.</i> $p = .713$ from a chi-square test.				

Local		State		
(n = 540)		(n = 7,842)		
Female	Male	Female	Male	
80.2%	73.5%	66.3%	68.9%	
19.8	26.5	33.7	31.1	
<i>Note.</i> $p = .067$ from a chi-square test.				

Local		State		
(n = 533)		(n = 7,793)		
Female	Male	Female	Male	
91.4%	86.2%	81.6%	81.0%	
8.6	13.8	18.4	19.0	
<i>Note.</i> $p = .084$ from a chi-square test.				

Local		State		
(n = 519)		(n = 7,609)		
Female	Male	Female	Male	
60.9%	75.9%	59.9%	76.0%	
39.1	24.1	40.1	24.0	
<i>Note.</i> $p = .007$ from a chi-square test.				

Local		State		
(n = 526)		(n = 7,716)		
Female	Male	Female	Male	
85.6%	79.5%	77.7%	78.8%	
14.4	20.5	22.3	21.2	
<i>Note.</i> $p = .052$ from a chi-square test.				

Local		State		
(n = 540)		(n = 7,954)		
Female	Male	Female	Male	
18.4%	28.7%	17.6%	22.1%	
81.6	71.3	82.4	77.9	
<i>Note.</i> $p = .018$ from a chi-square test.				

General Information

		Loca	al	Sta	te
1.	How old are you?	e you? $ (n = 540)$		(n = 8,034)	
	a. 12 or younger	0.0%	$(\pm 0.0\%)$	0.0%	$(\pm 0.0\%)$
	b. 13	0.4	(± 0.6)	0.0	(± 0.0)
	c. 14	5.1	(± 1.4)	1.6	(± 0.4)
	d. 15	69.4	(± 5.1)	71.1	(± 2.0)
	e. 16	23.3	(± 3.7)	25.5	(± 1.4)
	f. 17	1.3	(± 1.0)	1.2	(± 0.6)
	g. 18	0.2	(± 0.4)	0.3	(± 0.2)
	h. 19 or older	0.4	(± 0.6)	0.1	(± 0.0)

[Item 2 appears only on the elementary version of the survey.]

		Local		State	
3.	Are you:	(n=5)	(n = 546)		,035)
	a. Female	52.0%	$(\pm 3.5\%)$	53.1%	$(\pm 1.2\%)$
	b. Male	48.0	(± 3.5)	46.9	(± 1.2)

	How do you describe yourself? (Select one or more responses.)	Local $(n = 547)$		Sta $(n = 7)$	
a	a. Asian or Asian American	75.5%	$(\pm 5.5\%)$	5.2%	$(\pm 1.8\%)$
b	o. American Indian or Alaskan Native	0.0	(± 0.0)	2.1	(± 0.4)
c	e. Black or African-American	0.0	(± 0.0)	3.6	(± 1.8)
d	I. Hispanic or Latino/Latina	0.0	(± 0.0)	9.2	(± 4.9)
e	e. Native Hawaiian or other Pacific Islander	24.5	(± 5.5)	1.7	(± 0.4)
f	f. White or Caucasian	0.0	(± 0.0)	68.9	(± 5.5)
g	g. Other	0.0	(± 0.0)	4.9	(± 0.6)
N	More than one race/ethnicity marked	0.0	(± 0.0)	4.5	(± 0.6)

5. W	What language is usually spoken at home?		Local $(n = 531)$		te ,739)
	a. English	59.9%	$(\pm 6.7\%)$	86.9%	$(\pm 3.9\%)$
	b. Spanish	1.5	(± 1.0)	6.6	(± 3.9)
	c. Russian	2.1	(± 1.6)	1.3	(± 0.4)
	d. Ukrainian	0.4	(± 0.6)	0.9	(± 0.4)
	e. Vietnamese	6.0	(± 3.7)	0.7	(± 0.4)
	f. Other	30.1	(± 5.5)	3.6	(± 1.2)

[Item 6 appears only on the elementary version of the survey.]

		Lu	Local		ite
7. What is	the highest degree or diploma your father earned?	(n =	(n = 524)		,666)
a. None		10.3%	$(\pm 4.5\%)$	10.1%	$(\pm 2.4\%)$
b. High	school diploma or GED	14.3	(± 2.9)	23.1	(± 2.0)
c. Two-	year college	9.5	(± 3.3)	11.7	(± 1.2)
d. Four-	year college or more	36.3	(± 10.8)	29.4	(± 5.5)
e. Don't	know	29.6	(± 6.7)	25.8	(± 2.4)

_		Loca	Local		te
8.	What is the highest degree or diploma your mother earned?	(n = 5)	31)	(n = 7)	,688)
	a. None	9.4%	$(\pm 3.1\%)$	8.6%	$(\pm 2.2\%)$
	b. High school diploma or GED	17.3	(± 3.3)	25.4	(± 1.8)
	c. Two-year college	12.6	(± 3.3)	15.3	(± 1.2)
	d. Four-year college or more	30.3	(± 8.2)	28.5	(± 4.1)
	e. Don't know	30.3	(± 6.3)	22.2	(± 1.4)
9.	How far in school do you think you will get? (Mark only	Loca	al	Sta	te
	one.)	(n=2)	46)	(n = 3)	,694)
	a. Won't graduate from high school	1.2%	$(\pm 1.4\%)$	1.5%	$(\pm 0.4\%)$
	b. Will graduate from high school, but won't go any further	3.7	(± 2.5)	6.3	(± 1.2)
	c. Will go to a community college, technical, or other 2-year school after high school	13.8	(± 3.9)	21.3	(± 2.0)
	d. Will attend a 4-year college	10.6	(± 3.1)	10.2	(± 1.2)
	e. Will graduate from a 4-year college	39.8	(± 5.3)	37.6	(± 2.2)
	f. Will earn an advanced graduate degree	30.9	(± 7.6)	23.2	(± 1.8)
10.	Not counting chores around your home, how many hours	Loca	al	Sta	te
	per week are you currently working for pay?	(n = 2)	42)	(n = 3)	,655)
	a. None, not currently working	73.6%	$(\pm 4.9\%)$	68.6%	$(\pm 2.2\%)$
	b. 4 hours or less a week	10.3	(± 3.7)	13.6	(± 1.4)
	c. 5 – 10 hours a week	7.9	(± 3.3)	9.4	(± 1.0)
	d. 11 – 20 hours a week	5.8	(± 4.5)	5.3	(± 0.8)
	e. 21 – 30 hours a week	1.2	(± 1.6)	1.8	(± 0.4)
	f. 31 – 40 hours a week	0.0	(± 0.0)	0.5	(± 0.2)
	g. More than 40 hours a week	1.2	(± 1.4)	0.9	(± 0.4)
		Loca	al	Sta	te
11.	How honest were you in filling out this survey?	(n = 4)	,	(n = 7)	
	a. I was very honest	80.2%	$(\pm 3.1\%)$	84.8%	$(\pm 1.4\%)$
	b. I was honest pretty much of the time	17.1	(± 3.1)	13.1	(± 1.2)
	c. I was honest some of the time	2.7	(± 1.4)	2.0	(± 0.4)
	d. I was honest once in a while		Surveys p		
	e. I was not honest at all		Surveys p	ulled	

Alcohol, Tobacco, and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. The economic costs of ATOD use are enormous (in Washington State an estimated \$1.81 billion in 1990 and \$2.54 billion in 1996). Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

Lifetime Use

12.	12. Have you ever smoked a cigarette, even just a puff? (Computed from item 219.)		Local (n = 269)		State $(n = 3,833)$	
	a. No	72.9%	(± 6.1%)	64.9%	$(\pm 2.9\%)$	
	b. Yes	27.1	(± 6.1)	35.1	(± 2.9)	

13.	Have you ever smoked a whole cigarette? (Computed from item 40 or 41.) a. No b. Yes	Local $(n = 532)$ 82.7% $(\pm 3.7\%)$ 17.3 (± 3.7)			
14.	Have you ever used chewing tobacco, snuff, or dip? (Computed from item 48.) a. No b. Yes	Loc (n = 2 93.2% 6.8		State $(n = 3,548)$ 88.4% (± 1.6% 11.6 (± 1.6)	
15.	Have you ever had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)? (Computed from item 220 or 221.) a. No b. Yes	Loc (n = 5 47.3% 52.7		Sta (n = 7 39.6% 60.4	
16.	Have you ever smoked marijuana? (Computed from item 217 or 218.) a. No b. Yes	Local $(n = 531)$ 81.9% $(\pm 3.7\%)$ 18.1 (± 3.7)		State $(n = 7,770)$ 70.5% $(\pm 2.0\%)$ (± 2.0)	
17.	Have you ever used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines. (Computed from item 225.) a. No b. Yes	Loc (n = 2 94.4% 5.6		Sta (n = 3 94.9% 5.1	
18.	Have you ever, even once in your life, used steroids (muscle builders) without a doctor's prescription? a. No b. Yes	Loc (n = 2 98.5% 1.5		Sta (n = 3 97.3% 2.7	
19.	Have you ever, even once in your life, used cocaine or crack (coke, rock, snow)? a. No b. Yes	Local $(n = 259)$ 97.3% (± 1.8%) 2.7 (± 1.8)		Sta (n = 3 94.0% 6.0	
20.	Have you ever, even once in your life, used a needle to inject any illegal drugs? a. No b. Yes	Loc (n = 2 98.8% 1.2		Sta (n = 3 98.2% 1.8	

[Items 21 and 22 appear only on the elementary version of the survey.]

30-Day Use (Use in the Past 30 Days)

23	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?	Loc $ (n = 2)$		Sta $(n = 3)$	
	a. I did not smoke during the past 30 days	86.1%	$(\pm 5.3\%)$	85.0%	(± 1.6%)
	b. Less than 1 per day	5.7	(± 3.1)	4.7	(± 0.8)
	c. 1 per day	3.0	(± 2.0)	3.0	(± 0.6)
	d. 2 – 5 per day	3.0	(± 2.5)	4.6	(± 0.8)
	e. 6 – 10 per day	1.3	(± 1.2)	1.7	(± 0.6)
	f. 11 – 20 per day	0.4	(± 1.0)	0.5	(± 0.2)
	g. More than 20 cigarettes per day	0.4	(± 0.8)	0.5	(± 0.2)

During the past 30 days, on how many days did you:

	Duru	ig the past 50 days, on now many days ata you:				
a. None b. 1 − 2 days c. 3 − 5 days d. 6 − 9 days e. 10 − 1 − 1 days e. 10 − 1 − 1 days e. 10 − 1 − 2 days e. 10 − 2 days e. 10 − 2 days e. 10 − 9 days e. 10 − 1 days e. 10 − 1 days e. 10 − 2 days e.	24	Smoke cigarettes?				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	24.	_	*	,		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$						
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		· · · · · · · · · · · · · · · · · · ·				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		· · · · · · · · · · · · · · · · · · ·				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$						
25. Use chewing tobacco, snuff, or dip? 26. Use chewing tobacco, snuff, or dip? 27. a. None 28. Snoke cigars, cigarillos, or little cigars? 28. Smoke tobacco in a pipe? 29. Smoke tobacco in a pipe? 20. Smoke bidis ("beedies", flavored cigarettes)? 29. Smoke bidis ("beedies", flavored cigarettes)? 20. Snoke ciove cigarettes (kreteks)? 20. Snoke clove cigarettes (kreteks)? 21. Cocal ($n = 204$) 22. Co. A. Snoke clove cigarettes (kreteks)? 23. Snoke clove cigarettes (kreteks)? 24. Cocal ($n = 196$) 25. Cocal ($n = 196$) 26. Snoke cigars, cigarillos, or little cigars? 26. Snoke cigars, cigarillos, or little cigars? 27. Snoke tobacco in a pipe? 28. Snoke tobacco in a pipe? 29. Snoke tobacco in a pipe? 29. Snoke cigars (favored cigarettes)? 29. Snoke clove cigarettes (kreteks)? 29. Snoke clove cigarettes (kreteks)? 29. Snoke clove cigarettes (kreteks)? 20. Cocal (cigared) 20. Cocal (cigare						
25. Use chewing tobacco, snuff, or dip? a. None 55.9% (±1.6%) 51.5 (±0.8) 21. (±0.2%) 1.5 (±0.8) 21. (±0.2%) 22. (±0.4) 23. (±0.4) 24. (±0.4) 25. (±0.4) 26. Smoke cigars, cigarillos, or little cigars? 26. Smoke cigars, cigarillos, or little cigars? 27. Smoke tobacco in a pipe? 28. Smoke tobacco in a pipe? 29. Smoke bidis ("beedies", flavored cigarettes)? 29. Smoke bidis ("beedies", flavored cigarettes)? 29. Smoke clove cigarettes (kreteks)? 20. (±1.8) 21. (±0.8) 22. (±0.4) 23. (±1.6%) 24. (±0.8) 25. (±1.6%) 26. Smoke clove cigarettes (kreteks)? 27. Smoke clove cigarettes (kreteks)? 28. Smoke clove cigarettes (kreteks)? 29. Smoke clove cigarettes		· · · · · · · · · · · · · · · · · · ·				
25. Use chewing tobacco, snuff, or dip? a. None 95.9% (\pm 1.6%) b. 1 – 2 days c. 3 – 5 days 0.7 (\pm 1.0) d. 6 – 9 days c. 1 – 2 days 0.7 (\pm 1.0) d. 6 – 9 days c. 1 – 2 days 0.7 (\pm 1.0) d. 6 – 9 days d. 6 – 9 days d. 7 (\pm 1.0) d. 8 – 8 days 0.7 (\pm 1.0) d. 1.1 (\pm 0.2) e. 10 – 29 days d. 7 (\pm 1.0) d. 1.3 0 days 26. Smoke cigars, cigarillos, or little cigars? a. 0 days b. 1 – 2 days d. 10 – 29 days d. 10 – 20 days d. 10 – 29 days d. 10 – 20 days d. 10 – 29 days d. 10 – 29 days d. 10 – 20		Any use in past 30 days	10.0	(± 3.1)	13.0	(± 1.7)
25. Use chewing tobacco, snuff, or dip? a. None 95.9% (\pm 1.6%) b. 1 – 2 days 1.5 (\pm 0.8) c. 3 – 5 days 0.7 (\pm 1.0) d. 6 – 9 days 0.1 (\pm 0.2) e. 10 – 29 days 1.7 (\pm 0.6) Any use in past 30 days 27. Smoke tobacco in a pipe? 28. Smoke bidis ("beedies", flavored cigarettes)? 28. Smoke bidis ("beedies", flavored cigarettes)? 29. Smoke cigarst (kreteks)? 29. Smoke clove cigarettes (kreteks)? 20. Smoke clove cigarettes (kreteks)? 20. Smoke clove cigarettes (kreteks)? 21. Cocal ($n = 541$) 22. ($n = 541$) 23. ($n = 541$) 24. ($n = 541$) 25. ($n = 541$) 26. ($n = 541$) 27. ($n = 541$) 28. ($n = 541$) 28. ($n = 541$) 29. ($n = 541$) 20. ($n = 541$) 20. ($n = 541$) 20. ($n = 541$) 21. ($n = 541$) 22. ($n = 541$) 23. ($n = 541$) 24. ($n = 541$) 25. ($n = 541$) 26. ($n = 541$) 27. ($n = 541$) 28. ($n = 541$) 29. ($n = 541$) 20. ($n = 541$) 20. ($n = 541$) 20. ($n = 541$) 21. ($n = 198$) 22. ($n = 541$) 23. ($n = 198$) 24. ($n = 198$) 25. ($n = 2.641$) 26. ($n = 2.641$) 27. ($n = 198$) 28. ($n = 198$) 29. ($n = 3.414$			Loc	al	Sta	ite
a. None b. 1 - 2 days c. 3 - 5 days d. 6 - 9 days c. 1 - 5 (± 0.8) d. 6 - 9 days c. 1 - 6 - 9 days d. 7 (± 0.6) d. 4 (± 0.2) d. 7 (± 0.6) d. 9 (± 0.8) d. 10 - 29 days d. 10 -	25.	Use chewing tobacco, snuff, or dip?				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		a. None	*	,		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		b. 1 – 2 days	1.5	(± 0.8)	2.1	(± 0.2)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		•	0.7	(± 1.0)	1.1	(± 0.4)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		•	0.2	(± 0.4)	0.5	(± 0.2)
26. Smoke cigars, cigarillos, or little cigars? 27. Smoke tobacco in a pipe? 28. Smoke tobacco in a pipe? 28. Smoke tobacco in a pipe? 29. Smoke tobacco in a pipe? 20. Smoke tobacco in a pipe? 27. Smoke tobacco in a pipe? 28. Smoke tobacco in a pipe? 28. Smoke tobacco in a pipe? 29. Smoke tobacco in a pipe? 29. Smoke tobacco in a pipe? 20. c. 3 - 9 days 20. de 1.4 21. Cotal 22. Smoke tobacco in a pipe? 23. Smoke tobacco in a pipe? 24. Cotal 25. c. 3 - 9 days 26. d. 10 - 29 days 27. d. 10. de 1.4 28. Smoke bidis ("beedies", flavored cigarettes)? 28. Smoke bidis ("beedies", flavored cigarettes)? 29. Smoke clove cigarettes (kreteks)? 29. C. c. c. d.		e. 10 – 29 days	0.7	(± 0.6)	0.4	(± 0.2)
26. Smoke cigars, cigarillos, or little cigars? a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 - 29 days d. 10 - 29 days e. All 30 days 70. Smoke tobacco in a pipe? The state of the stat		f. All 30 days	0.9	(± 0.8)	0.7	(± 0.2)
26. Smoke cigars, cigarillos, or little cigars? a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 - 29 days d. 10		Any use in past 30 days	4.1	(± 1.6)	4.9	(± 0.6)
26. Smoke cigars, cigarillos, or little cigars? a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 - 29 days d. 10						
a. 0 days 90.8% ($\pm 3.1\%$) 88.6% ($\pm 1.6\%$) b. $1-2$ days 4.8 (± 2.9) 5.6 (± 0.8) c. $3-9$ days 3.5 (± 1.8) 3.0 (± 0.8) d. $10-29$ days 0.4 (± 0.8) 0.4 (± 0.8) 1.7 (± 0.4) e. All 30 days 0.4 (± 1.0) 0.1 (± 1.4) 0.1 (± 1.6) 27. Smoke tobacco in a pipe? † ($n = 198$) ($n = 2.648$) a. 0 days 93.9% ($\pm 3.3\%$) 94.4% ($\pm 1.2\%$) b. $1-2$ days 2.0 (± 1.8) 2.4 (± 0.6) d. $10-29$ days 2.5 (± 2.4) 1.5 (± 0.6) d. $10-29$ days 2.5 (± 0.8) 0.5 (± 0.8) 0.8 (± 0.4) e. All 30 days 2.5 (± 0.8) 0.8 (± 0.4) e. All 30 days 2.5 (± 0.8) 0.5 (± 0.8) 0.8 (± 0.4) e. All 30 days 2.5 (± 0.8) 0.8 (± 0.4) e. All 30 days 2.5 (± 0.8) 0.8 (± 0.4) e. All 30 days 2.5 (± 0.8) 0.8 (± 0.4) e. All 30 days 2.5 (± 0.8) 0.8 (± 0.4) e. All 30 days 2.5 (± 0.8) 0.8 (± 0.4) e. All 30 days 2.5 (± 0.8) 0.9 (± 0.4) d. (± 0.8) e. 3 (± 0.4) e. All 30 days 2.5 (± 0.8) 0.9 (± 0.4) d. (± 0.8) e. 3 (± 0.4) e. All 30 days 2.0 (± 0.4) e. All 30 days 2.0 (± 0.4) e. All 30 days 2.0 (± 0.4) e. All 30 days 2.0 (± 0.4) e. All 30 days 2.0 (± 0.4) e. All 30 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. All 90 days 2.0 (± 0.4) e. 20 days $2.$	26	Smalra aigens aigenilles on little aigens?				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	20.					
$ \begin{array}{c} \text{c. } 3-9 \text{ days} \\ \text{d. } 10-29 \text{ days} \\ \text{e. All } 30 \text{ days} \\ \text{Any use in past } 30 \text{ days} \\ \text{e. All } 30 \text{ days} \\ \text{Any use in past } 30 \text{ days} \\ \text{e. All } 30 \text{ days} \\ \text{Any use in past } 30 \text{ days} \\ \text{e. All } 30 \text$		· · · · · · · · · · · · · · · · · · ·		` ,		
$\begin{array}{c} \text{d. } 10-29 \text{ days} \\ \text{e. All } 30 \text{ days} \\ \text{Any } use \text{ in past } 30 \text{ days} \\ \text{27.} \text{Smoke tobacco in a pipe?}^{\dagger} \\ \text{a. } 0 \text{ days} \\ \text{b. } 1-2 \text{ days} \\ \text{c. All } 30 \text{ days} \\ \text{b. } 1-2 \text{ days} \\ \text{c. All } 30 \text{ days} \\ \text{d. } 0 \text{ days} \\ \text{b. } 1-2 \text{ days} \\ \text{c. All } 30 \text{ days} \\ \text{d. } 0 \text{ days} \\ \text{d. } 10-29 \text{ days} \\ \text{d. } 10-29 \text{ days} \\ \text{e. All } 30 \text{ days} \\ \text{d. } 10-29 \text{ days} \\ \text{e. All } 30 \text{ days} \\ \text{d. } 10-29 \text{ days} \\ \text{d. } 10-40 \text{ d. } 10$		· · · · · · · · · · · · · · · · · · ·				
e. All 30 days Any use in past 30 days 27. Smoke tobacco in a pipe?\(^{\psi}\) $ \begin{array}{cccccccccccccccccccccccccccccccccc$						
27. Smoke tobacco in a pipe? \frac{1}{2} \frac{1.0 \cdots 1}{2.0 \cdots 2.0} \frac{1.0 \cdots 1}{2.3 \cdots 0} \frac{1.2 \cdots 1}{2.0 \cdots 2.3 \cdots 0} \frac{1.2 \cdots 2.648}{2.4 \cdots 2.0 \cdots 2.3 \cdots 0} \frac{1.2 \cdots 2.0}{2.1 \cdots 2.0 \cdots 2.0} \frac{1.8}{2.4} \cdots 2.0 \cdots 2.0} \frac{1.8}{2.4} \cdots 2.0 \cdots 2.0} \frac{1.8}{2.5} \cdots 2.4} \frac{1.5}{2.0 \cdots 2.0} \cdots 2.0} \frac{1.14}{2.4} \cdots 2.0} \frac{1.12}{2.4} \frac{1.14}{2.4} \cdots 2.0} \frac{1.14}{2.4} \cdots		· · · · · · · · · · · · · · · · · · ·				
27. Smoke tobacco in a pipe? $\frac{1}{(n = 198)}$ $\frac{1}{(n = 198)}$ $\frac{1}{(n = 2,648)}$ a. 0 days $\frac{1}{(n = 2,648)}$ 3.9% $\frac{1}{(n = 2,648)}$ 3.0 days $\frac{1}{(n = 2,648)}$ 3.9% $\frac{1}{(n = 2,648)}$ 3.9% $\frac{1}{(n = 2,648)}$ 3.9% $\frac{1}{(n = 2,648)}$ 3.9% $\frac{1}{(n = 2,641)}$ 3.0 days 3.0		· · · · · · · · · · · · · · · · · · ·				
27. Smoke tobacco in a pipe? $(n = 198)$ $(n = 2,648)$ a. 0 days $(n = 198)$ $(n = 2,648)$ b. 1 - 2 days $(n = 198)$ $(n = 2,648)$ b. 1 - 2 days $(n = 198)$ $(n = 2,648)$ c. 3 - 9 days $(n = 198)$ $(n = 198)$ $(n = 2,648)$ d. 10 - 29 days $(n = 198)$ $(n = 198)$ $(n = 198)$ $(n = 198)$ c. 3 - 9 days $(n = 198)$ $(n $		Any use in past 30 days	9.2	(± 3.1)	11.4	(± 1.0)
27. Smoke tobacco in a pipe? $(n = 198)$ $(n = 2,648)$ a. 0 days $(n = 198)$ $(n = 2,648)$ b. 1 - 2 days $(n = 198)$ $(n = 2,648)$ b. 1 - 2 days $(n = 198)$ $(n = 2,648)$ c. 3 - 9 days $(n = 198)$ $(n = 198)$ $(n = 2,648)$ d. 10 - 29 days $(n = 198)$ $(n = 198)$ $(n = 198)$ $(n = 198)$ c. 3 - 9 days $(n = 198)$ $(n $			Loc	al	Sta	ite
a. 0 days 93.9% ($\pm 3.3\%$) 94.4% ($\pm 1.2\%$) b. 1 - 2 days 2.0 (± 1.8) 2.4 (± 0.6) c. 3 - 9 days 2.5 (± 2.4) 1.5 (± 0.6) d. 10 - 29 days 0.5 (± 0.8) 0.8 (± 0.4) e. All 30 days 1.0 (± 1.4) 0.9 (± 0.4) Any use in past 30 days 6.1 (± 3.3) 5.6 (± 1.2) 28. Smoke bidis ("beedies", flavored cigarettes)?†	27.	Smoke tobacco in a pipe? [†]				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		a. 0 days	*			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		b. $1-2$ days	2.0	(± 1.8)		
e. All 30 days Any use in past 30 days 6.1 (\pm 3.3) 5.6 (\pm 1.2) 28. Smoke bidis ("beedies", flavored cigarettes)?\(^{\dagger}\) a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 (\pm 1.4) Any use in past 30 days 29. Smoke clove cigarettes (kreteks)?\(^{\dagger}\) a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 (\pm 1.4) Any use in past 30 days 29. Smoke clove cigarettes (kreteks)?\(^{\dagger}\) a. 0 days b. 1 - 2 days c. 3 - 9 days d. 0 (\pm 2.0) C. 3 - 9 days d. 10 (\pm 1.4) Any use in past 30 days d. 10 (\pm 1.4) Any use in past 30 days d. 10 (\pm 1.4) 29. Smoke clove cigarettes (kreteks)?\(^{\dagger}\) a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 (\pm 3.9) Any use days d. 10 (\pm 4.1) Any use days d. 10 (\pm 5.1) Any use days			2.5	(± 2.4)	1.5	(± 0.6)
28. Smoke bidis ("beedies", flavored cigarettes)? $\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$		d. 10 – 29 days	0.5	(± 0.8)	0.8	(± 0.4)
28. Smoke bidis ("beedies", flavored cigarettes)? $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		e. All 30 days	1.0	(± 1.4)	0.9	(± 0.4)
28. Smoke bidis ("beedies", flavored cigarettes)? † ($n = 197$) ($n = 2,641$) a. 0 days 93.4% ($\pm 3.9\%$) 91.9% ($\pm 1.4\%$) b. 1 - 2 days 2.0 (± 2.0) 4.1 (± 0.8) c. 3 - 9 days 2.5 (± 2.0) 2.1 (± 0.6) d. 10 - 29 days 1.0 (± 1.4) 1.1 (± 0.4) e. All 30 days 1.0 (± 1.4) 0.9 (± 0.4) Any use in past 30 days 6.6 (± 3.9) 8.1 (± 1.4) 29. Smoke clove cigarettes (kreteks)? † ($n = 196$) ($n = 2,636$) a. 0 days 92.9% ($\pm 3.9\%$) 94.5% ($\pm 1.0\%$) b. 1 - 2 days 2.0 (± 2.2) 2.2 (± 0.6) c. 3 - 9 days 2.0 (± 2.2) 1.3 (± 0.4) d. 10 - 29 days 2.0 (± 2.2) 1.3 (± 0.4) e. All 30 days 1.0 (± 1.4) 1.0 (± 0.4)		Any use in past 30 days	6.1	(± 3.3)	5.6	(± 1.2)
28. Smoke bidis ("beedies", flavored cigarettes)? † ($n = 197$) ($n = 2,641$) a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 - 29 days e. All 30 days 29. Smoke clove cigarettes (kreteks)? † a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 (± 1.4) d. 11 (± 0.4) e. All 30 days d. 10 (± 1.4) d. 10 (± 1.4) e. All 30 days d. 10 (± 1.4) d. 10 (± 1.4) d. 10 (± 1.4) e. All 30 days d. 10 (± 1.4) d. 10 (± 1.4) e. 29. Smoke clove cigarettes (kreteks)? † a. 0 days d. 10 days d.						
a. 0 days 93.4% (± 3.9%) 91.9% (± 1.4%) b. 1 - 2 days 2.0 (± 2.0) 4.1 (± 0.8) c. 3 - 9 days 2.5 (± 2.0) 2.1 (± 0.6) d. 10 - 29 days 1.0 (± 1.4) 1.1 (± 0.4) e. All 30 days 1.0 (± 1.4) 0.9 (± 0.4) Any use in past 30 days 6.6 (± 3.9) 8.1 (± 1.4) 29. Smoke clove cigarettes (kreteks)? (n = 196) (n = 2,636) a. 0 days 92.9% (± 3.9%) 94.5% (± 1.0%) b. 1 - 2 days 3.6 (± 2.2) 2.2 (± 0.6) c. 3 - 9 days 2.0 (± 2.2) 1.3 (± 0.4) d. 10 - 29 days 0.5 (± 1.0) 1.0 (± 0.4) e. All 30 days 1.0 (± 1.4) 1.0 (± 0.4)	28	Smoke hidis ("heedies" flavored cigarettes)?				
b. $1-2$ days c. $3-9$ days d. $10-29$ days e. All 30 days 2.5	20.	-				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		·				
d. $10 - 29$ days 1.0 (± 1.4) 1.1 (± 0.4) e. All 30 days 1.0 (± 1.4) 0.9 (± 0.4) Any use in past 30 days 6.6 (± 3.9) 8.1 (± 1.4) 29. Smoke clove cigarettes (kreteks)?† Local (n = 196) State (n = 2,636) a. 0 days 92.9% (± 3.9%) 94.5% (± 1.0%) b. $1 - 2$ days 3.6 (± 2.2) 2.2 (± 0.6) c. $3 - 9$ days 2.0 (± 2.2) 1.3 (± 0.4) d. $10 - 29$ days 0.5 (± 1.0) 1.0 (± 0.4) e. All 30 days 1.0 (± 1.4) 1.0 (± 0.4)						
e. All 30 days Any use in past 30 days 5. Smoke clove cigarettes (kreteks)?\(\frac{1}{2}\) 29. Smoke clove cigarettes (kreteks)?\(\frac{1}{2}\) 29. Smoke clove cigarettes (kreteks)?\(\frac{1}{2}\) 29. $\frac{1}{2}$ 29. Smoke clove cigarettes (kreteks)?\(\frac{1}{2}\) 30. $\frac{1}{2}$ 40. $\frac{1}{2}$ 41. $\frac{1}{2}$ 42. $\frac{1}{2}$ 43. $\frac{1}{2}$ 44. $\frac{1}{2}$ 45. $\frac{1}{2}$ 46. $\frac{1}{2}$ 47. $\frac{1}{2}$ 48. $\frac{1}{2}$ 49. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40. $\frac{1}{2}$ 41. $\frac{1}{2}$ 42. $\frac{1}{2}$ 43. $\frac{1}{2}$ 44. $\frac{1}{2}$ 45. $\frac{1}{2}$ 46. $\frac{1}{2}$ 47. $\frac{1}{2}$ 48. $\frac{1}{2}$ 49. $\frac{1}{2}$ 49. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40. $\frac{1}{2}$ 41. $\frac{1}{2}$ 42. $\frac{1}{2}$ 43. $\frac{1}{2}$ 44. $\frac{1}{2}$ 45. $\frac{1}{2}$ 46. $\frac{1}{2}$ 47. $\frac{1}{2}$ 48. $\frac{1}{2}$ 49. $\frac{1}{2}$ 49. $\frac{1}{2}$ 49. $\frac{1}{2}$ 40. $\frac{1}{2}$ 41. $\frac{1}{2}$ 42. $\frac{1}{2}$ 43. $\frac{1}{2}$ 44. $\frac{1}{2}$ 45. $\frac{1}{2}$ 46. $\frac{1}{2}$ 47. $\frac{1}{2}$ 48. $\frac{1}{2}$ 49. $\frac{1}{2}$ 49. $\frac{1}{2}$ 49. $\frac{1}{2}$ 49. $\frac{1}{2}$ 49. $\frac{1}{2}$ 40. $\frac{1}{2}$ 40		· · · · · · · · · · · · · · · · · · ·				
Any use in past 30 days 6.6 (± 3.9) 8.1 (± 1.4) 29. Smoke clove cigarettes (kreteks)? [†] a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 - 29 days e. All 30 days 6.6 (± 3.9) 8.1 (± 1.4) Local (n = 196) (n = 2,636) (n = 2,636) 2.9 ($\pm 3.9\%$) 94.5% ($\pm 1.0\%$) 2.0 (± 2.2) 1.3 (± 0.4) 1.0 (± 0.4) 1.0 (± 0.4)		•				, ,
29. Smoke clove cigarettes (kreteks)? † a. 0 days b. 1 - 2 days c. 3 - 9 days d. 10 - 29 days e. All 30 days Local $(n = 196)$ $(n = 2,636)$ $(n = 2,6$		· · · · · · · · · · · · · · · · · · ·				
29. Smoke clove cigarettes (kreteks)? [†] $(n = 196)$ $(n = 2,636)$ a. 0 days 92.9% $(\pm 3.9\%)$ 94.5% $(\pm 1.0\%)$ b. 1 – 2 days 3.6 (± 2.2) 2.2 (± 0.6) c. 3 – 9 days 2.0 (± 2.2) 1.3 (± 0.4) d. $10 - 29$ days 0.5 (± 1.0) 1.0 (± 0.4) e. All 30 days 1.0 (± 1.4) 1.0 (± 0.4)		Any use in past 50 days	0.0	(± 3.9)	0.1	(±1. 4)
29. Smoke clove cigarettes (kreteks)? [†] $(n = 196)$ $(n = 2,636)$ a. 0 days 92.9% $(\pm 3.9\%)$ 94.5% $(\pm 1.0\%)$ b. 1 – 2 days 3.6 (± 2.2) 2.2 (± 0.6) c. 3 – 9 days 2.0 (± 2.2) 1.3 (± 0.4) d. $10 - 29$ days 0.5 (± 1.0) 1.0 (± 0.4) e. All 30 days 1.0 (± 1.4) 1.0 (± 0.4)			Loc	al	Sta	ite
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	29.	Smoke clove cigarettes (kreteks)? [™]				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		a. 0 days	92.9%	$(\pm 3.9\%)$	94.5%	$(\pm 1.0\%)$
d. $10-29$ days0.5 (± 1.0) 1.0 (± 0.4) e. All 30 days1.0 (± 1.4) 1.0 (± 0.4)		b. 1 – 2 days	3.6	(± 2.2)	2.2	(± 0.6)
e. All 30 days 1.0 (± 1.4) 1.0 (± 0.4)		· · · · · · · · · · · · · · · · · · ·		(± 2.2)	1.3	(± 0.4)
			0.5		1.0	
Any use in past 30 days 7.1 (± 3.9) 5.5 (± 1.0)		The state of the s				
		Any use in past 30 days	7.1	(± 3.9)	5.5	(± 1.0)

Any use in past 30 days

2.7

 (± 0.6)

Grade 10

3.2

 (± 1.4)

		Local		State	
36.	Use Ritalin without a doctor's orders?	(n=5)	(n = 533)		,812)
	a. None	95.9%	$(\pm 1.8\%)$	95.8%	$(\pm0.6\%)$
	b. 1 – 2 days	2.3	(± 1.4)	2.2	(± 0.4)
	c. 3 – 5 days	0.8	(± 0.8)	0.9	(± 0.2)
	d. 6 – 9 days	0.9	(± 0.8)	0.5	(± 0.2)
	e. 10 or more days	0.2	(± 0.4)	0.6	(± 0.2)
	Any use in past 30 days	4.1	(± 1.8)	4.2	(± 0.6)

Other Tobacco-Related Questions

		Local (<i>n</i> = 262)		State $(n = 3,962)$	
37.	Have you ever smoked cigarettes every day for 30 days?				
	a. No	93.5%	$(\pm 2.4\%)$	91.4%	$(\pm 1.4\%)$
	b. Yes	6.5	(± 2.4)	8.6	(± 1.4)

38.	If one of your best friends offered you a cigarette, would you smoke it?	Local $(n = 533)$		Sta $(n = 7)$	
	a. Definitely no	76.2%	$(\pm 3.1\%)$	72.8%	$(\pm 1.4\%)$
	b. Probably no		(± 2.4)	13.4	(± 0.6)
	c. Probably yes	6.2	(± 1.8)	8.2	(± 0.6)
	d. Definitely yes	3.9	(± 2.0)	5.5	(± 0.8)

39.	Do you think that you will smoke a cigarette anytime in the next year?	Loc $(n = 5)$		Sta $(n = 7)$	
	a. Definitely no	74.8%	$(\pm 3.1\%)$	68.8%	$(\pm 1.6\%)$
	b. Probably no	13.3	(± 3.1)	15.2	(± 0.8)
	c. Probably yes	7.7	(± 1.8)	9.1	(± 0.6)
	d. Definitely yes	4.1	(± 2.0)	6.9	(± 1.0)

40.	How old were you the first time you smoked a whole cigarette?	Loc (n = 5)		Sta $(n = 7)$	
	a. Never have	82.7%	$(\pm 3.7\%)$	73.7%	$(\pm 2.2\%)$
	b. 10 or younger	3.9	(± 1.6)	5.9	(± 0.6)
	c. 11	2.1	(± 1.2)	3.0	(± 0.6)
	d. 12	2.1	(± 1.2)	3.4	(± 0.4)
	e. 13	2.1	(± 1.2)	4.0	(± 0.6)
	f. 14	3.9	(± 1.6)	5.4	(± 0.8)
	g. 15	2.6	(± 2.0)	4.0	(± 0.4)
	h. 16	0.4	(± 0.8)	0.5	(± 0.2)
	i. 17 or older	0.2	(± 0.4)	0.1	(± 0.0)

[Item 41 appears only on the elementary version of the survey.]

42.	42. Do you think young people risk harming themselves if they smoke 1 – 5 cigarettes a day?		Local (<i>n</i> = 261)		State $(n = 3.957)$	
	a. Definitely no	6.1%	$(\pm 2.4\%)$	4.4%	$(\pm 0.8\%)$	
	b. Probably no	3.1	(± 2.2)	2.5	(± 0.6)	
	c. Probably yes	14.9	(± 5.7)	18.1	(± 1.4)	
	d. Definitely yes	75.9	(± 6.5)	75.0	(± 2.2)	

43.	During the past year in school, how many times did you get information in classes about the dangers of tobacco use?	Loc $(n=2)$		Sta $(n = 3)$	
	a. None	26.1%	$(\pm 3.9\%)$	26.4%	$(\pm 2.9\%)$
	b. Once	23.8	(± 4.7)	21.6	(± 2.2)
	c. 2 or 3 times	27.2	(± 4.5)	29.6	(± 2.0)
	d. 4 or more times	23.0	(± 5.3)	22.4	(± 3.3)
44.	During the past year, did you practice ways to say NO to				
	tobacco in any of your classes (for example, by role	Loc	al	Sta	te
	playing)?	(n = 2)	261)	(n = 3)	,949)
	a. Yes	29.9%	$(\pm 6.1\%)$	24.4%	$(\pm 3.9\%)$
	b. No	53.6	(± 5.3)	58.4	(± 3.5)
	c. Not sure	16.5	(± 5.7)	17.2	(± 1.2)
45.	Do you think that rules about not using tobacco at your	Loc	al	Sta	te
	school are usually enforced?	(n = 2)	*	(n = 3)	
	a. Definitely no	13.1%	$(\pm 4.3\%)$	13.8%	$(\pm 1.8\%)$
	b. Probably no	20.8	(± 6.7)	19.8	(± 2.0)
	c. Probably yes	48.8	(± 8.0)	45.2	(± 2.2)
	d. Definitely yes	17.3	(± 5.1)	21.2	(± 2.5)
46.	During the past 30 days, on how many days did you use	Loc	al	Sta	te
	tobacco (cigarettes, cigars, or chew/dip) on school property?	(n = 2)	262)	(n = 3)	,956)
	a. 0 days	95.4%	$(\pm 1.8\%)$	92.3%	$(\pm 1.0\%)$
	b. 1 – 2 days	2.7	(± 1.8)	3.5	(± 0.6)
	c. 3 - 9 days	0.8	(± 1.0)	1.8	(± 0.4)
	d. 10 – 29 days	0.8	(± 1.2)	1.3	(± 0.4)
	e. All 30 days	0.4	(± 0.8)	1.1	(± 0.4)
47.	During the past 12 months, have you ever tried to quit using	Loc	al	Sta	te
	tobacco (cigarettes, cigars, chew/dip)?	(n = 2)	261)	(n = 3)	,941)
	a. I did not use tobacco during the past 12 months	85.8%	$(\pm 4.7\%)$	80.3%	$(\pm 1.8\%)$
	b. Yes	6.5	(± 2.7)	9.8	(± 1.4)
	c. No	7.7	(± 3.3)	9.9	(± 1.2)
48.	How old were you when you used chewing tobacco, snuff,	Loc	al	Sta	te
	or dip for the first time?	(n = 2)	237)	(n = 3)	,548)
	a. Never used	93.2%	$(\pm 2.9\%)$	88.4%	$(\pm 1.6\%)$
	b. 10 or younger	1.7	(± 1.6)	2.5	(± 0.6)
	c. 11	0.8	(± 1.2)	1.2	(± 0.4)
	d. 12	1.7	(± 1.4)	1.3	(± 0.4)
	e. 13	0.8	(± 1.2)	1.6	(± 0.4)
	f. 14	0.0	(± 0.0)	2.1	(± 0.6)
	g. 15	0.8	(± 1.0)	2.5	(± 0.6)
	h. 16	0.4	(± 0.8)	0.3	(± 0.2)
	i. 17 or older	0.4	(± 0.8)	0.3	(± 0.2)
49.	Do you think the smoke from other people's cigarettes	Loc	al	Sta	te
	(secondhand smoke) is harmful to you?	(n = 2)		(n = 3)	
	a. Definitely no	9.3%	$(\pm 4.3\%)$	9.1%	$(\pm 1.6\%)$
	b. Probably no	4.2	(± 1.8)	3.8	(± 0.8)
	c. Probably yes	20.8	(± 6.1)	21.7	(± 1.4)
	d. Definitely yes	65.7	$(\pm .5.5)$	65.4	(± 2.4)

State

(n = 3,497)

State

(n = 3,482)

State

(n = 3,483)

State

65.2%

14.8

8.0

4.5

7.4

28.0

19.6

5.8

52.1%

23.0

8.7

4.2

12.0

 $46.6\% \quad (\pm 2.4\%)$

 (± 1.6)

 (± 1.8)

 (± 0.8)

 $(\pm 3.1\%)$

 (± 1.6)

 (± 1.2)

 (± 0.8)

 (± 1.8)

 $(\pm 3.3\%)$

 (± 1.6)

 (± 1.0)

 (± 0.8)

 (± 1.4)

50.	Some tobacco companies make items like sports gear,
	t-shirts, lighters, hats, jackets, and sunglasses that people
	can buy or receive for free. During the past 12 months, did
	you buy or receive anything that has a tobacco company
	name or picture on it?

a. No

b. Yes

Local		State			
(n = 2)	236)	(n = 3,516)			
86.9%	$(\pm 4.1\%)$	85.8%	$(\pm 1.2\%)$		
13.1	(± 4.1)	14.2	(± 1.2)		

Local

(n = 234)

Local

(n = 234)

Local

(n = 233)

Local

 $(\pm 6.5\%)$

 (± 5.9)

 (± 6.5)

 (± 2.2)

 $(\pm 8.0\%)$

 (± 3.7)

 (± 2.9)

 (± 3.7)

 (± 3.5)

 $(\pm 9.8\%)$

 (± 6.3)

 (± 3.5)

 (± 1.4)

 (± 3.1)

52.6%

27.4

16.2

3.8

62.8%

20.9

6.8

3.8

5.6

71.7%

15.0

7.7

1.7

3.9

51. Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses?

a. Definitely no

b. Probably no

c. Probably yes

d. Definitely yes

52. During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?

a. 0 days

b. 1-2 days

c. 3 - 4 days

d. 5 - 6 days

e. 7 days

53. During the past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?

a. 0 days

 $b.\,\,1-2\;days$

c. 3 - 4 days

d. 5 - 6 days

e. 7 days

54. During the past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking?

a. Not in the past 30 days

b. 1 - 3 times in the past 30 days

c. 1 - 3 times per week

d. Daily or almost daily

e. More than once a day

55. Does anyone who lives with you now smoke cigarettes?

a. No

b. Yes

(n = 3,468)(n = 233)24.9% $(\pm 6.3\%)$ 20.8% $(\pm 1.6\%)$ 24.6 21.9 (± 6.1) (± 2.2) 21.0 21.6 (± 3.9) (± 1.2) 20.2 (± 7.3) 21.6 (± 2.0) 12.0 (± 4.3) 11.4 (± 1.4)

Local (n = 232) 69.0% $(\pm 9.6\%)$ 31.0 (± 9.6)

State (n = 3,462) 67.7% (± 3.1%) 32.3 (± 3.1)

56. Do you want to stop using tobacco right now?

a. I do not use tobacco now

b. Yes

c. No

Local		State			
(n=2)	230)	(n = 3,437)			
89.6%	$(\pm 4.5\%)$	85.5%	$(\pm 1.8\%)$		
6.1	(± 3.9)	6.6	(± 1.2)		
4.3	(± 2.4)	7.9	(± 1.0)		

a. I have never used tobacco regularly b. Yes c. No 6.2 (±3.9) 3.5 (±0.8) 5.8. Has either of your parents (or guardians) discussed the dangers of tobacco use with you? a. Mother (or female guardian) only b. Father (or male guardian) only c. Both d. Neither 59. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.) a. I did not use tobacco during the past 30 days b. I bought it in a store such as a convenience store, supermarket, discount store or gas station c. I bought it from a vending machine d. I gave someone else money to buy them for me e. I borrowed (or bummed) them for me e. I borrowed (or bummed) them from someone else f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk c. Not sure 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) 62. Twice c. Twice c. Twice c. Twice c. Times c. Or gas a shore or a family member b. Once c. Twice c. Twice c. Twice c. Trice c. Trice c. To or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) c. To or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) c. To or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) c. To or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) c. To or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) c. To or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)	57.	Have you ever participated in a program to help you quit using tobacco?	Loc $(n=2)$		Sta $(n = 3)$	
c. No 9.3 (± 2.9) 14.9 (± 1.6) 58. Has either of your parents (or guardians) discussed the dangers of tobacco use with you? a. Mother (or female guardian) only b. Father (or male guardian) only b. Father (or male guardian) only b. Bither (or male guardian) only c. Both d. Neither d. Neither d. None d. A person l8 years old or older gave them to me d. None d. None d. Norisk d. Norisk d. Norisk d. Norisk d. Norisk d. Norisk		a. I have never used tobacco regularly	84.6%	$(\pm 5.1\%)$	81.6%	$(\pm 2.0\%)$
58. Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Local (n = 228) State (n = 3,419) a. Mother (or female guardian) only b. Father (or male guardian) only c. Both 4.8 (± 2.4) 4.6 (± 0.8) c. Both c. Both d. Neither 43.0 (± 4.5) 47.4 (± 2.2) d. Neither 36.8 (± 6.3) 30.7 (± 2.0) 59. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.) Local (n = 226) State (n = 3,402) a. I did not use tobacco during the past 30 days 88.1% (± 3.5%) 83.7% (± 1.6%) 83.7% (± 1.6%) b. I bought it in a store such as a convenience store, supermarker, discount store or gas station c. I bought it from a vending machine 1.8 (± 2.2) 1.0 (± 0.4) d. I gave someone else money to buy them for me 1.3 (± 1.2) 3.5 (± 0.6) e. I borrowed (or bummed) them from someone else 1.3 (± 1.2) 3.5 (± 0.6) f. A person 18 years old or older gave them to me 1.8 (± 1.6) 2.1 (± 0.4) g. I took them from a store or a family member 0.4 (± 0.8) 2.2 (± 1.8) 2.4 (± 0.4) Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? 1.28% (± 5		b. Yes	6.2	(± 3.9)	3.5	(± 0.8)
dangers of tobacco use with you? a. Mother (or female guardian) only b. Father (or male guardian) only c. Both c. Both c. Both d. As (± 4.3%) d. Keither 36.8 (± 6.3) 30.7 (± 2.0) 59. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.) a. I did not use tobacco during the past 30 days b. I bought it in a store such as a convenience store, supermarket, discount store or gas station c. I bought it from a vending machine d. I gave someone else money to buy them for me g. I bough the from a store such as a convenience store, s. I borrowed (or bummed) them from someone else f. A person 18 years old or older gave them to me g. I took them from a store or a family member 4. I got them some other way Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk d. Great risk c. Moderate risk d. Great risk e. Not sure 1. Local (n = 282) (n = 3,402) (n		c. No	9.3	(± 2.9)	14.9	(± 1.6)
a. Mother (or female guardian) only b. Father (or male guardian) only c. Both c. Both d. As. (± 2.4) d. Neither 36.8 (± 6.3) 30.7 (± 2.0) 59. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.) a. I did not use tobacco during the past 30 days b. I bought it in a store such as a convenience store, supermarket, discount store or gas station c. I bought it from a vending machine d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else f. A person 18 years old or older gave them to me g. I took them from a store or a family member d. I got them some other way Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk c. Moderate risk c. Moderate risk d. Great risk c. Moderate risk d. Great risk c. Not sure 1. Local (n = 282) (n = 3,402) 2.1 (± 0.6) 3.5 (± 0.8) 3.7 (± 1.6%) 3.1 (± 2.2) 3.5 (± 0.6) 3.5 (± 0.6) 3.5 (± 0.4) 3.5 (± 0.6) 3.5 (± 0.6) 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None b. Once c. Twice d. 3.9 (± 1.6%) 3.9 (± 1.6%) 3.9 (± 1.6%) 3.9 (± 1.6%) 3.9 (± 1.6%) 3.9 (± 1.6%) 3.9 (± 1.6%) 3.9 (± 1.6%) 3.9 (± 1.6%) 3.9 (± 1.6%) 3.1 (± 0.4) 4.8 (± 0.6) 3.0 (± 1.8) 4.8 (± 0.6) 4.9 (± 0.9) 4.0 (58.		Loc	al	Sta	nte
b. Father (or male guardian) only c. Both c. Both d. As (± 2.4) (± 4.5) (± 7.4 (± 2.2) d. Neither During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.) a. I did not use tobacco during the past 30 days b. I bought it in a store such as a convenience store, supermarket, discount store or gas station c. I bought it from a vending machine d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else i. I borrowed (or bummed) them from someone else i. I get them some other way Dother Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk d. Great risk e. Not sure C. Moderate risk e. Not sure During the past 30 days, how did you usually get your own tobacco. (± 0.3) 4.5 (± 0.6) 4.7 (± 0.4) 4.5 (± 0.6) 4.5 (± 0.8) 4.5 (± 0.6) 4.5 (± 0.8) 4.5 (± 0.6) 4.5 (± 0.6) 4.5 (± 0.6) 4.5 (± 0.6) 4.5 (± 0.6) 4.5 (± 0.6) 4.6 (± 0.8) 4.5 (± 0.6) 4.6 (± 0.8) 4.5 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4.7 (± 0.6) 4		dangers of tobacco use with you?	(n=2)	228)	(n = 3)	,419)
c. Both d. Neither 36.8 (± 4.5) 47.4 (± 2.2) d. Neither 36.8 (± 6.3) 30.7 (± 2.0) 59. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.) a. I did not use tobacco during the past 30 days 88.8 (± 3.5%) 83.7% (± 1.6%) b. I bought it in a store such as a convenience store, supermarket, discount store or gas station c. I bought it from a vending machine 1.8 (± 2.2) 1.0 (± 0.4) d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else 1.3 (± 1.2) 4.5 (± 0.8) e. I borrowed (or bummed) them from someone else 1.3 (± 1.2) 3.5 (± 0.6) f. A person 18 years old or older gave them to me g. I took them from a store or a family member 0.4 (± 0.8) 0.7 (± 0.2) h. I got them some other way 2.2 (± 1.8) 2.4 (± 0.4) Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally?		a. Mother (or female guardian) only	15.4%	$(\pm 4.3\%)$	17.3%	$(\pm 1.6\%)$
d. Neither 36.8 (± 6.3) 30.7 (± 2.0) 59. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.) Local (n = 226) State (n = 3,402) a. I did not use tobacco during the past 30 days 88.1% (± 3.5%) 83.7% (± 1.6%) b. I bought it in a store such as a convenience store, supermarket, discount store or gas station 3.1 (± 2.2) 2.1 (± 0.6) c. I bought it from a vending machine 1.8 (± 2.2) 1.0 (± 0.4) d. I gave someone else money to buy them for me 1.3 (± 1.2) 4.5 (± 0.8) e. I borrowed (or bummed) them from someone else 1.3 (± 1.2) 3.5 (± 0.6) f. A person 18 years old or older gave them to me 1.8 (± 0.6) 2.1 (± 0.4) g. I took them from a store or a family member 0.4 (± 0.8) 0.7 (± 0.2) h. I got them some other way 2.2 (± 1.8) 2.4 (± 0.4) Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? Local (n = 282) State (n = 3,987) a. No risk 12.8% (± 5.9%) 11.7% (± 1.0%) (± 1.0%) b. Slight risk 13.8 (± 6.1) 11.7% (± 1.6) (± 1.0%) c. Moderate risk 2.7 (± 5.1) 3		b. Father (or male guardian) only	4.8	(± 2.4)	4.6	(± 0.8)
59. During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.) a. I did not use tobacco during the past 30 days b. I bought it in a store such as a convenience store, supermarket, discount store or gas station c. I bought it from a vending machine d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk d. Great risk c. Moderate risk d. Great risk e. Not sure 1. Cocal (n = 282) 1. Cocal (n = 3,987) 12.8% (± 5.9%) 11.7% (± 1.0%) 11.7% (± 1.0%) 12.7.7 (± 5.1) 31.7 (± 1.6) 3.6 (± 1.8) 3.7.4 (± 0.6) 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None b. Once c. Twice d. 3 − 5 times 2.1 (± 1.4) 3.8 (± 0.6) 6.9 (± 0.8) 1.0 (± 0.4) 1.0 (± 0.4) 1.0 (± 0.4) 1.1 (± 0.2) 1.0 (± 0.4) 1.2 (± 0.4) 2.1 (± 0.4) 2.2 (± 1.8) 2.3 (± 1.6) 3.5 (± 0.6) 3.6 (± 1.8) 7.4 (± 0.6) 3.6 (± 1.8) 7.4 (± 0.6) 3.7 (± 0.6) 3.8 (± 0.6) 4.9 (± 0.8) 4.9 (± 0.9) 3.1 (± 2.2) 2.1 (± 0.4) 4.5 (± 0.6) 5.1 (± 0.4) 5.2 (± 0.8) 5.3 (± 0.6) 6.6 − 9 times 5.4 (± 0.6) 5.5 (± 0.6) 5.6 (± 0.6) 5.7 (± 0.6) 5.8 (± 1.6%) 5.8 (± 1.6%) 5.8 (± 1.6%) 5.8 (± 1.6%) 5.9 (± 0.8) 5.8 (± 1.6%) 5.9 (± 0.8) 5.1 (± 0.4) 5.2 (± 0.8) 5.2 (± 0.6) 5.3 (± 0.6) 5.4 (± 0.4) 5.5 (± 0.6) 5.6 (± 0.8) 5.7 (± 0.8) 5.8 (± 0.6) 5.8 (± 0.6) 5.8 (± 0.6) 5.9 (± 0.8) 5.8 (± 0.6) 5.9 (± 0.8) 5.8 (± 0.6) 5.9 (± 0.8) 5.8 (± 0.6) 5.9 (± 0.8) 5.8 (± 0.6) 5.9 (± 0.8) 5.8 (± 0.6) 5.9 (± 0.8) 5.8 (± 0.6) 5.9 (± 0.8) 5.8 (± 0.6) 5.9 (± 0.8) 5.8 (± 0.6) 5.9 (± 0.8) 5.8 (± 0.6) 5.8 (± 0.6)		c. Both	43.0	(± 4.5)	47.4	(± 2.2)
tobacco? (Choose only one answer.) a. I did not use tobacco during the past 30 days b. I bought it in a store such as a convenience store, supermarket, discount store or gas station c. I bought it from a vending machine d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else i. I borrowed (or bummed) them from someone else f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way Other Alcohol- and Drug-Related Questions		d. Neither	36.8	(± 6.3)	30.7	(± 2.0)
a. I did not use tobacco during the past 30 days b. I bought it in a store such as a convenience store, supermarket, discount store or gas station c. I bought it from a vending machine d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way Other Alcohol- and Drug-Related Questions	59.					
b. I bought it in a store such as a convenience store, supermarket, discount store or gas station c. I bought it from a vending machine d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else 1.3 (±1.2) 4.5 (±0.8) e. I borrowed (or bummed) them from someone else 1.3 (±1.2) 3.5 (±0.6) f. A person 18 years old or older gave them to me g. I took them from a store or a family member 0.4 (±0.8) 0.7 (±0.2) h. I got them some other way Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk 2.7.7 (±5.1) 31.7 (±1.4) c. Moderate risk 2.7.7 (±5.1) 31.7 (±1.6) d. Great risk e. Not sure 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None b. Once 3.6 (±1.8) 7.4 (±0.6) c. Twice d. 3 – 5 times 2.1 (±0.4) 3.8 (±0.6) 2.1 (±0.4) 3.1 (±0.6) c. Twice d. 3 – 5 times 0.9 (±0.8) 1.0 (±0.2)		a. I did not use tobacco during the past 30 days			,	
supermarket, discount store or gas station c. I bought it from a vending machine d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way Other Alcohol- and Drug-Related Questions How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk c. Moderate risk d. Great risk e. Not sure Local (n = 282) 13.7 (± 5.9%) 11.7% (± 1.0%) 11.77 (± 1.4) 22.7 (± 5.1) 31.7 (± 1.6) 3.5 (± 0.6) Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None b. Once c. Twice d. 3 - 5 times e. 6 - 9 times 1.8 (± 2.2) 1.0 (± 0.4) 4.5 (± 0.8) 1.3 (± 1.2) 3.5 (± 0.6) 1.8 (± 0.2) 3.5 (± 0.6) 3.5 (± 0.6) 3.6 (± 1.8) 4.8 (± 0.6) 4.9 (± 0.9) 4.9 (±		• 1				
c. I bought it from a vending machine d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else 1.3 (±1.2) 4.5 (±0.8) e. I borrowed (or bummed) them from someone else 1.3 (±1.2) 3.5 (±0.6) f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 0.4 (±0.8) 0.7 (±0.2) h. I got them some other way 0.2 (±1.8) 2.4 (±0.4) Cother Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk c. Moderate risk d. Great risk e. Not sure 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None b. Once c. Twice d. 3 - 5 times c. 6 - 9 times 1.8 (±2.2) 4.5 (±0.8) 1.3 (±1.2) 3.5 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.8 (±0.6) 1.9 (±0.8) 1.0 (±0.2) 1			0.12	(= =:=)		(= 0.0)
d. I gave someone else money to buy them for me e. I borrowed (or bummed) them from someone else f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk d. Great risk e. Not sure 1.2.8 (± 1.6) 2.1 (± 0.4) 2.2 (± 1.8) 1.2.8 (± 1.8) 2.4 (± 0.4) State (n = 282) (n = 3,987) 11.7% (± 1.0%) 11.77 (± 1.4) 27.7 (± 5.1) 31.7 (± 1.6) 3.5 (± 2.0) 2.8 (± 1.6) 3.5 (± 2.0) 1. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None b. Once c. Twice d. 3 - 5 times c. 4 - 9 times 1.3 (± 1.2) 3.5 (± 0.6) 1. Local (n = 534) (n = 7,810) 1. Cocal (n = 7,		1	1.8	(± 2.2)	1.0	(± 0.4)
e. I borrowed (or bummed) them from someone else f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk d. Great risk e. Not sure 1. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) 1. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) 1. None 1. None 1. None 1. None 1. Once 1. Twice 1. Once 1. Twice 1. Once 1. Twice 1. Once 1. Twice 1. Once 1. Onc						
f. A person 18 years old or older gave them to me 1.8 (± 1.6) 2.1 (± 0.4) g. I took them from a store or a family member 0.4 (± 0.8) 0.7 (± 0.2) h. I got them some other way 2.2 (± 1.8) 2.4 (± 0.4) Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk c. Moderate risk d. Great risk e. Not sure 13.8 (± 6.1) $(\pi = 3.987)$ <		·				
g. I took them from a store or a family member h. I got them some other way 2.2 (± 1.8) Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? a. No risk b. Slight risk c. Moderate risk c. Moderate risk d. Great risk e. Not sure 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None b. Once c. Twice d. 3 - 5 times e. 6 - 9 times Other Alcohol- and Drug-Related Questions 2.2 (± 1.8) 2.2 (± 1.8) 2.4 (± 0.4) Cocal (n = 282) (n = 3,987) (n = 3,987) (n = 3,987) (11.77) (± 1.4) (12.8%) (12			1.8	, ,	2.1	
h. I got them some other way 2.2 (\pm 1.8) 2.4 (\pm 0.4) Other Alcohol- and Drug-Related Questions 60. How much do you think people risk harming themselves if they smoke marijuana occasionally? Local ($n = 282$) State ($n = 3.987$) a. No risk 12.8% (\pm 5.9%) 11.7% (\pm 1.0%) b. Slight risk 13.8 (\pm 6.1) 17.7 (\pm 1.4) c. Moderate risk 27.7 (\pm 5.1) 31.7 (\pm 1.6) d. Great risk 42.9 (\pm 6.9) 35.5 (\pm 2.0) e. Not sure 2.8 (\pm 1.6) 3.5 (\pm 0.6) 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) Local ($n = 534$) State ($n = 7.810$) a. None 89.0% (\pm 3.1%) 81.3% (\pm 1.6%) b. Once 3.6 (\pm 1.8) 7.4 (\pm 0.6) c. Twice 3.0 (\pm 1.8) 4.8 (\pm 0.6) d. 3 – 5 times 2.1 (\pm 1.4) 3.8 (\pm 0.6) e. 6 – 9 times 0.9 (\pm 0.8) 1.0 (\pm 0.2)		1 0		, ,		, ,
60. How much do you think people risk harming themselves if they smoke marijuana occasionally? $ (n = 282) $			2.2		2.4	
they smoke marijuana occasionally? $(n = 282)$ $(n = 3,987)$ a. No risk 12.8% $(\pm 5.9\%)$ 11.7% $(\pm 1.0\%)$ b. Slight risk 13.8 (± 6.1) 17.7 (± 1.4) c. Moderate risk 27.7 (± 5.1) 31.7 (± 1.6) d. Great risk 42.9 (± 6.9) 35.5 (± 2.0) e. Not sure 2.8 (± 1.6) 3.5 (± 0.6) 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None 89.0% $(\pm 3.1\%)$ 81.3% $(\pm 1.6\%)$ b. Once 3.6 (± 1.8) 7.4 (± 0.6) c. Twice 3.0 (± 1.8) 4.8 (± 0.6) d. $3-5$ times 2.1 (± 1.4) 3.8 (± 0.6) e. $6-9$ times 0.9 (± 0.8) 1.0 (± 0.2)	Oth	er Alcohol- and Drug-Related Questions				
they smoke marijuana occasionally? $(n = 282)$ $(n = 3,987)$ a. No risk 12.8% $(\pm 5.9\%)$ 11.7% $(\pm 1.0\%)$ b. Slight risk 13.8 (± 6.1) 17.7 (± 1.4) c. Moderate risk 27.7 (± 5.1) 31.7 (± 1.6) d. Great risk 42.9 (± 6.9) 35.5 (± 2.0) e. Not sure 2.8 (± 1.6) 3.5 (± 0.6) 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None 89.0% $(\pm 3.1\%)$ 81.3% $(\pm 1.6\%)$ b. Once 3.6 (± 1.8) 7.4 (± 0.6) c. Twice 3.0 (± 1.8) 4.8 (± 0.6) d. $3-5$ times 2.1 (± 1.4) 3.8 (± 0.6) e. $6-9$ times 0.9 (± 0.8) 1.0 (± 0.2)	60.	How much do you think people risk harming themselves if	Loc	·a1	Sto	nto
a. No risk b. Slight risk c. Moderate risk d. Great risk e. Not sure 12.8% (± 5.9%) 11.7% (± 1.0%) 13.8 (± 6.1) 17.7 (± 1.4) 13.8 (± 6.1) 17.7 (± 1.4) 13.8 (± 6.1) 17.7 (± 1.4) 13.8 (± 6.1) 17.7 (± 1.4) 13.8 (± 6.1) 17.7 (± 1.6) 13.7 (± 1.6) 13.8 (± 6.1) 17.7 (± 1.4) 13.8 (± 6.1) 17.7 (± 1.4) 13.8 (± 6.1) 17.7 (± 1.4) 13.8 (± 6.1) 17.7 (± 1.4) 13.8 (± 6.1) 17.7 (± 1.4) 13.7 (± 1.6) 13.8 (± 1						
b. Slight risk c. Moderate risk d. Great risk e. Not sure 27.7 (± 5.1) 31.7 (± 1.6) d. Great risk e. Not sure 42.9 (± 6.9) 35.5 (± 2.0) e. Not sure 28 (± 1.6) 3.5 (± 0.6) 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None b. Once c. Twice d. 3 - 5 times e. 6 - 9 times 13.8 (± 6.1) 17.7 (± 1.4) 17.7 (± 1.4) 17.7 (± 1.4) 11.7 (± 1.6) 11.7 (± 1.4) 11.7 (± 1.4) 11.7 (± 1.4) 11.7 (± 1.6) 11.7						
c. Moderate risk d. Great ris						
d. Great risk 42.9 (± 6.9) 35.5 (± 2.0) e. Not sure 2.8 (± 1.6) 3.5 (± 0.6) 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) Local (n = 7,810) a. None 89.0% (± 3.1 %) 81.3 % (± 1.6 %) b. Once 3.6 (± 1.8) 7.4 (± 0.6) c. Twice 3.0 (± 1.8) 4.8 (± 0.6) d. $3-5$ times 2.1 (± 1.4) 3.8 (± 0.6) e. $6-9$ times 0.9 (± 0.8) 1.0 (± 0.2)						
e. Not sure $2.8 (\pm 1.6)$ $3.5 (\pm 0.6)$ 61. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None $89.0\% (\pm 3.1\%)$ $81.3\% (\pm 1.6\%)$ b. Once $3.6 (\pm 1.8)$ $7.4 (\pm 0.6)$ c. Twice $3.0 (\pm 1.8)$ $4.8 (\pm 0.6)$ d. $3-5$ times $2.1 (\pm 1.4)$ $3.8 (\pm 0.6)$ e. $6-9$ times						
you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) a. None b. Once c. Twice d. $3 - 5$ times e. $6 - 9$ times Local Local $(n = 534)$ $(n = 7,810)$ 81.3% (± 1.6%) 81.3% (± 1.6%) 81.3% (± 0.6) 82.1 (± 1.4) 83.8 (± 0.6) 94.8 (± 0.6) 95.9 (± 0.8) 1.0 (± 0.2)				, ,		
drink.) $ (n = 534) $	61.	you had five or more drinks in a row? (A drink is a glass of				
a. None 89.0% ($\pm 3.1\%$) 81.3% ($\pm 1.6\%$) b. Once 3.6 (± 1.8) 7.4 (± 0.6) c. Twice 3.0 (± 1.8) 4.8 (± 0.6) d. $3-5$ times 2.1 (± 1.4) 3.8 (± 0.6) e. $6-9$ times 0.9 (± 0.8) 1.0 (± 0.2)		<u> </u>	Loc	al	Sta	ite
b. Once $3.6 (\pm 1.8) 7.4 (\pm 0.6)$ c. Twice $3.0 (\pm 1.8) 4.8 (\pm 0.6)$ d. $3-5$ times $2.1 (\pm 1.4) 3.8 (\pm 0.6)$ e. $6-9$ times $0.9 (\pm 0.8) 1.0 (\pm 0.2)$		drink.)				
c. Twice 3.0 (± 1.8) 4.8 (± 0.6) d. $3-5$ times 2.1 (± 1.4) 3.8 (± 0.6) e. $6-9$ times 0.9 (± 0.8) 1.0 (± 0.2)		a. None	89.0%	$(\pm 3.1\%)$	81.3%	$(\pm 1.6\%)$
d. $3-5$ times2.1 (\pm 1.4)3.8 (\pm 0.6)e. $6-9$ times0.9 (\pm 0.8)1.0 (\pm 0.2)		b. Once	3.6	(± 1.8)	7.4	(± 0.6)
e. $6-9$ times $0.9 (\pm 0.8) 1.0 (\pm 0.2)$		c. Twice	3.0	(± 1.8)	4.8	(± 0.6)
\cdot		d. 3 – 5 times	2.1	(± 1.4)	3.8	(± 0.6)
f. 10 or more times 1.5 (\pm 1.0) 1.8 (\pm 0.4)		e. 6 – 9 times	0.9	(± 0.8)	1.0	(± 0.2)
		f. 10 or more times	1.5	(± 1.0)	1.8	(± 0.4)

c. $3-5$ times	2.4	(± 1.2)	3.1	(± 0.4)
d. $6-9$ times	0.9	(± 1.0)	1.2	(± 0.2)
e. 10 or more times	1.5	(± 1.0)	3.4	(± 0.6)

drunk or high at school?

a. Never

b. 1 - 2 times

62.

How many times in the past year (12 months) have you been

State

(n = 7,802)

7.2

85.1% (± 1.4%)

 (± 0.8)

Local

(n = 533) 90.8% (±

4.3

 $(\pm 2.7\%)$

 (± 1.8)

63.	During the past 30 days, how did you usually get alcohol (beer, wine, or hard liquor)? Choose only one answer.	Local $(n = 272)$		State $(n = 3,824)$	
	a. I did not get alcohol in the past 30 days	77.9%	$(\pm 4.5\%)$	69.7%	$(\pm 2.2\%)$
	b. I bought it from a store	2.2	(± 1.8)	1.1	(± 0.6)
	c. I got it from friends	7.4	(± 2.9)	9.3	(± 1.0)
	d. I gave money to someone to get it for me	3.3	(± 2.2)	5.6	(± 0.8)
	e. I took it from home without permission	0.4	(± 0.8)	2.5	(± 0.6)
	f. I got it at home with permission	4.8	(± 2.4)	3.6	(± 0.8)
	g. I got it at a party	2.6	(± 2.2)	4.3	(± 0.6)
	h. I got it some other way	1.5	(± 1.4)	3.8	(± 0.6)

Other Health Concerns

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, and depression. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

Nutrition and Fitness

64. Overweight: "Overweight" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "At risk for overweight" includes students who are in the top 15% but not the top 5%. (Computed from numeric responses to "How tall are you without your shoes on?" and "How much do you weigh without your shoes on?")

Overweight
At risk for overweight
Not overweight

Note. Results are suppressed for building-level reports.

Local		State			
(n = *)		(n = 3,644)			
.%	(± *.*%)	10.0%	$(\pm 1.2\%)$		
.	(± *.*)	12.5	(± 1.4)		
.	(± *.*)	77.5	(± 2.2)		

	65. How do you describe your weight?	Local		State	
65.		(n = 2)	(n = 257)		(n = 3,896)
	a. Very underweight	1.6%	$(\pm 1.4\%)$	2.3%	$(\pm 0.4\%)$
	b. Slightly underweight	14.8	(± 4.5)	12.8	(± 1.4)
	c. About the right weight	53.3	(± 7.6)	53.7	(± 1.8)
	d. Slightly overweight	23.3	(± 5.3)	25.7	(± 1.4)
	e. Very overweight	7.0	(± 3.5)	5.5	(± 1.0)

66.	Which of the following are you trying to do about your weight?	Loc $ (n = 2)$		Sta $(n = 3)$	
	a. I am not trying to do anything about my weight	30.2%	$(\pm 4.5\%)$	28.7%	$(\pm 1.4\%)$
	b. Lose weight	42.2	(± 6.7)	42.3	(± 1.6)
	c. Gain weight	13.2	(± 4.1)	12.4	(± 1.0)
	d. Stay the same weight	14.3	(± 3.1)	16.6	(± 1.2)

During the past 30 days, did you:

67.	Exercise to lose weight or to keep from gaining weight?	(n = 258)		(n = 3.884)	
	a. Yes		(± 5.9%)		(± 1.8%)
	b. No	41.1	(± 5.9)	40.3	(± 1.8)

68.	Eat less food, fewer calories, or foods low in fat to lose	Loc	cal	Sta	ate
	weight or to keep from gaining weight?	(n=2)	257)	(n=3)	3,883)
	a. Yes	35.8%	$(\pm 6.5\%)$	41.5%	$(\pm 1.8\%)$
	b. No	64.2	(± 6.5)	58.5	(± 1.8)
69.	Go without eating for 24 hours or more (also called fasting)	Loc	eal	Sta	ate
	to lose weight or to keep from gaining weight?	(n=2)		(n=3)	
	a. Yes	9.3%	(± 4.9%)	12.5%	
	b. No	90.7	(± 4.9)	87.5	(± 1.4)
70	The same distriction of the same state of the same state of				
70.	Take any diet pills, powders, or liquids without a doctor's				
	advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)	Loc		Sta	
		(n=2)		(n=3)	
	a. Yes	5.1%	$(\pm 2.7\%)$	6.5%	
	b. No	94.9	(± 2.7)	93.5	(± 0.8)
71.	Vomit or take laxatives to lose weight or to keep from	Loc	va1	Sta	ate
	gaining weight?	(n=2)		(n=3)	
	a. Yes	4.7%	(± 2.4%)	5.7%	$(\pm 0.6\%)$
	b. No	95.3	(± 2.4)	94.3	(± 0.6)
					()
[Item	72 appears only on the elementary version of the survey.]				
73.	Number of servings of fruits and vegetables eaten per day				
	(Computed from questions about the number and types of	Loc	ral	Sta	ate
	fruits and vegetables eaten over the past 7 days.)	(n=2)		(n=3)	
	Less than 1	9.2%	(± 4.3%)	9.8%	(± 1.6%)
	1 to less than 3	37.3	(± 6.7)	43.9	(± 1.6)
	3 to less than 5	25.7	(± 4.3)	23.1	(± 1.6)
	5 or more	27.7	(± 5.7)	23.2	(± 1.2)
74.	How many sodas or pops did you drink yesterday? (Do not	Loc	cal	Sta	ate
	count diet soda.)	(n=2)	255)	(n = 3)	3,847)
	a. None	51.8%	$(\pm 5.9\%)$	48.3%	$(\pm 2.9\%)$
	b. 1	30.6	(± 5.1)	29.1	(± 2.2)
	c. 2	10.2	(± 3.9)	12.3	(± 1.6)
	d. 3	5.1	(± 2.5)	5.7	(± 0.8)
	e. 4 or more	2.4	(± 1.8)	4.5	(± 0.6)
		Loc	·a1	Sta	ate
75.	How often do you eat dinner with your family? ^{† (Form C only)}	(n=2)		(n=3)	
	a. Never	5.4%	(± 2.9%)	5.7%	(± 1.0%)
	b. Rarely	8.9	(± 3.7)	14.2	(± 1.6)
	c. Sometimes	23.3	(± 4.9)	20.5	(± 1.4)
	d. Most of the time	34.2	(± 5.7)	37.1	(± 2.2)
	e. Always	28.0	(± 5.1)	22.5	(± 1.6)
76.	How often in the past 12 months did you or your family				
	have to cut meal size or skip meals because there wasn't	Loc	cal	Sta	ate
	enough money for food? [†]	(n=2)		(n=2)	
	a. Almost every month	5.0%	$(\pm 3.9\%)$	5.1%	, ,
	b. Some months but not every month	4.5	(± 3.5)	5.0	(± 1.0)
	c. Only $1-2$ months	5.0	(± 2.7)	4.8	(± 1.0)
	d. Did not have to skip or cut the size of meals	85.6	(± 6.9)	85.1	(± 2.2)

On how many of the past 7 days did you:

77.	Exercise or participate in physical activity for at least 20
	minutes that made you sweat and breathe hard, such as
	basketball, soccer, running, swimming laps, fast bicycling,
	fast dancing, or similar aerobic activities?

tast	dancing, or similar aerobic activities?
a. 0	days
b. 1	day
c. 2	days
d. 3	days
e. 4	days
f. 5	days
g. 6	days
h. 7	days

Local		State		
(n = 2)	257)	(n = 3)	,845)	
14.8%	$(\pm 4.3\%)$	13.8%	$(\pm 1.4\%)$	
8.9	(± 2.7)	7.1	(± 1.0)	
8.6	(± 3.3)	9.5	(± 1.2)	
10.9	(± 3.7)	9.6	(± 1.4)	
8.6	(± 3.1)	9.2	(± 1.2)	
17.9	(± 4.3)	17.3	(± 1.8)	
10.5	(± 3.7)	9.0	(± 1.0)	
19.8	(± 5.1)	24.4	(± 2.0)	

78. Do physical activity for at least 30 minutes that did not make you sweat and breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?

Loc	al	Sta	te	
(n = 255)		(n = 3,830)		
20.8%	$(\pm 3.5\%)$	19.8%	$(\pm 1.6\%)$	
23.1	(± 5.7)	14.0	(± 1.4)	
10.2	(± 3.9)	13.3	(± 1.4)	
11.0	(± 4.1)	11.1	(± 1.0)	
4.7	(± 2.0)	8.2	(± 1.0)	
11.0	(± 4.7)	9.5	(± 1.2)	
3.1	(± 2.0)	4.2	(± 0.6)	
16.1	(± 4.7)	19.8	(± 1.6)	

79. Do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

a. 0 days
b. 1 day
c. 2 days
d. 3 days
e. 4 days
f. 5 days
g. 6 days
h. 7 days

Local		State			
(n = 255)		255)	(n = 3,827)		
	19.6%	$(\pm 5.9\%)$	21.3%	$(\pm 2.0\%)$	
	10.2	(± 3.1)	9.9	(± 1.2)	
	14.9	(± 3.9)	10.6	(± 1.2)	
	14.1	(± 3.3)	13.0	(± 1.4)	
	8.2	(± 3.5)	9.9	(± 1.4)	
	12.2	(± 3.1)	15.5	(± 1.8)	
	4.3	(± 2.4)	4.6	(± 0.8)	
	16.5	(± 4.1)	15.3	(± 1.4)	

80. On an average school day, how many hours do you watch TV?

a. I do not watch TV on an average school day
b. Less than 1 hour per day
c. 1 hour per day
d. 2 hours per day
e. 3 hours per day
f. 4 hours per day
g. 5 or more hours per day

Local (<i>n</i> = 255)		State $(n = 3,834)$		
15.7%	$(\pm 5.5\%)$	11.1%	(± 1.2%)	
18.8	(± 4.9)	19.3	(± 1.4)	
15.3	(± 4.5)	17.4	(± 1.2)	
22.0	(± 4.9)	23.2	(± 1.2)	
15.7	(± 4.7)	15.0	(± 1.4)	
5.1	(± 3.7)	7.1	(± 1.2)	
7.5	(± 4.1)	6.9	(± 1.4)	

81.	On an average school day, how many hours do you play video games or use a computer for fun? (Include activities				
	such as Nintendo, Game Boy, Play Station, and computer	Loc	al	Sta	ite
	games.)	(n = 2)	255)	(n = 3)	,817)
	a. I do not play video games or use a computer for fun on an average school day	28.2%	(± 5.9%)	31.8%	(± 2.5%)
	b. Less than 1 hour per day	16.9	(± 5.5)	24.3	(± 1.4)
	c. 1 hour per day	18.0	(± 4.7)	15.7	(± 1.4)
	d. 2 hours per day	17.6	(± 4.7)	12.2	(± 1.2)

d. 2 hours per day e. 3 hours per day f. 4 hours per day g. 5 or more hours per day

7.5 (± 2.5) 8.1 (± 0.8) 4.3 (± 2.5) 3.4 (± 0.6) 7.5 (± 3.3) 4.6 (± 0.8)

[Item 82 appears only on the elementary version of the survey.]

- In an average week when you are in school, on how many 83. days do you go to physical education (PE) classes?
 - a. 0 days b. 1 day c. 2 days d. 3 days e. 4 days

84.

f. 5 days During an average PE class, how many minutes do you spend actually exercising or playing sports?

	•
a.	I do not take PE
b.	Less than 10 minutes
c.	10 - 20 minutes
d.	21 - 30 minutes
e.	31 - 40 minutes
f.	More than 40 minutes

Local State (n = 254)(n = 3,795)44.9% (± 11.8%) 48.5% (± 5.9%) 2.8 (± 2.5) 1.9 (± 0.8) 3.9 (± 2.7) 2.6 (± 0.8) 3.5 (± 4.3) 6.8 (± 3.5) 13.0 (± 12.7) 9.5 (± 6.5) 31.9 (± 6.9) 30.7 (± 6.9)

Local		Sta	te	
(n = 254)		(n = 3,786)		
40.9%	$(\pm 11.2\%)$	45.9%	$(\pm 5.5\%)$	
2.4	(± 2.2)	2.2	(± 0.6)	
4.7	(± 2.7)	3.6	(± 1.0)	
9.1	(± 3.5)	9.1	(± 2.7)	
18.9	(± 6.1)	16.0	(± 3.1)	
24.0	(± 8.0)	23.2	(± 2.5)	

Health Conditions and Health Care

- Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more?
 - a. Yes b. No
 - c. Not sure
- Do you have any long-term emotional problems or learning 86. disabilities lasting or expected to last 6 months or more?
 - a. Yes b. No
 - c. Not sure
- Would other people consider you to have a disability or 87. long-term health problem including physical health, emotional, or learning problems?
 - a. Yes b. No c. Not sure

Local State (n = 254)(n = 3,794)8.3% $(\pm 4.3\%)$ 12.4% (± 1.2%) 75.2 78.0 (± 5.9) (± 1.6) 13.8 12.4 (± 4.1) (± 1.0)

Local		State			
(n = 254)		(n = 3,785)			
4.7%	$(\pm 2.4\%)$	10.6%	$(\pm 1.0\%)$		
83.9	(± 4.5)	79.8	(± 1.2)		
11.4	(± 3.7)	9.6	(± 1.0)		

Local		State			
(n = 253)		(n = 3,778)			
5.5%	$(\pm 2.9\%)$	9.2%	$(\pm 1.0\%)$		
79.4	(± 6.7)	77.4	(± 1.4)		
15.0	(± 5.9)	13.3	(± 1.4)		

88.	Are you limited in any activities because of a disability or long-term health problem including physical health,				
	emotional, or learning problems expected to last 6 months or more?	Local $(n = 253)$		Sta	
	a. Yes	5.1%	(± 2.5%)	$(n = 3 \\ 8.3\%$	(± 1.2%)
	b. No	89.7	(± 3.5)	85.9	(± 1.8)
	c. Not sure	5.1	(± 2.0)	5.8	(± 1.0)
89.	Have you ever been told by a doctor or other health	Loc	·a1	Sta	nto
	professional that you had asthma?	(n=2)		(n=3)	
	a. Yes	20.5%	(± 5.1%)	19.9%	(± 1.6%)
	b. No	74.4	(± 5.7)	76.0	(± 2.0)
	c. Not sure	5.1	(± 3.3)	4.2	(± 0.8)
90.	During the past 12 months, have you had an asthma attack	Loc	al	Sta	nte
	or taken asthma medication?	(n=2)		(n = 3)	
	a. Never had asthma	53.1%	$(\pm 5.1\%)$	51.5%	$(\pm 2.5\%)$
	b. Yes	17.7	(± 4.7)	22.1	(± 1.8)
	c. No	27.6	(± 4.9)	23.8	(± 1.6)
	d. Not sure	1.6	(± 1.6)	2.7	(± 0.6)
91.	During the past 12 months, have you had an asthma attack? $\!\!\!^{\dagger}$	Loc		Sta	
	a. Yes	(n = 1) 10.2%	(± 6.3%)	(n = 2 12.1%	
	b. No	86.3	$(\pm 0.5\%)$ (± 7.6)	83.9	$(\pm 1.4\%)$ (± 2.0)
	c. I don't know.	3.6	(± 7.0) (± 2.9)	3.9	(± 0.8)
92.	During the past 12 months, how many times did you visit an				
, 2.	emergency room or urgent care center because of your	Loc	·al	Sta	nte
	asthma? [†]	(n=1)		(n=2)	
	a. I do not have asthma	76.2%	(± 6.5%)	71.4%	$(\pm 2.2\%)$
	b. None	21.8	(± 5.9)	23.7	(± 1.8)
	c. 1 to 3 times	1.0	(± 1.6)	2.7	(± 0.6)
	d. 4 to 9 times	0.0	(± 0.0)	0.6	(± 0.4)
	e. 10 to 12 times	0.0	(± 0.0)	0.3	(± 0.2)
	f. More than 12 times	0.0	(± 0.0)	0.3	(± 0.2)
	g. I don't know	1.0	(± 1.4)	0.9	(± 0.4)
93.	During the past 12 months, how many times did you see a				
	doctor, nurse or other health professional for a routine	Loc	al	Sta	ite
	checkup for your asthma? [†]	(n=1)		(n = 2)	
	a. I do not have asthma	78.5%	$(\pm 5.5\%)$	72.7%	$(\pm 2.2\%)$
	b. None	16.9	(± 4.5)	17.1	(± 1.6)
	c. 1 to 3 times	3.6	(± 2.9)	6.9	(± 0.8)
	d. 4 to 9 times	0.0	(± 0.0)	1.3	(± 0.4)
	e. 10 to 12 times	0.5	(± 1.0)	0.5	(± 0.2)
	f. More than 12 times	0.0	(± 0.0)	0.3	(± 0.2)
	g. I don't know	0.5	(± 1.0)	1.1	(± 0.4)

Local

(n = 195)

 $(\pm 5.1\%)$

 (± 4.9)

 (± 1.6)

 (± 1.0)

 (± 1.6)

 (± 0.0)

 (± 2.0)

 $(\pm 5.5\%)$

 (± 6.1)

 (± 2.9)

 (± 3.3)

 (± 1.4)

 (± 0.0)

 (± 3.7)

 $(\pm 4.5\%)$

 (± 2.4)

 (± 2.2)

 (± 2.2)

 (± 1.0)

 (± 1.6)

 (± 3.1)

79.0%

17.4

1.0

0.5

1.0

0.0

1.0

70.6%

10.3

5.7

3.1

1.0

0.0

9.3

88.7%

5.2

3.1

1.5

0.5

1.0

4.1

T 0001

Local

(n = 194)

Local

(n = 194)

 (± 1.6)

 (± 0.8)

 (± 0.6)

 (± 0.4)

 (± 0.2)

 (± 0.4)

State

(n = 2,616)

20.1

2.4

1.4

0.9

0.5

0.8

11.7

5.9

4.6

2.4

1.0

5.7

86.7%

6.3

2.1

1.5

1.1

2.2

5.2

Ctata

State

(n = 2,605)

State

(n = 2,596)

 $68.7\% \quad (\pm 1.8\%)$

 (± 1.4)

 (± 1.0)

 (± 0.6)

 (± 0.6)

 (± 0.4)

 (± 1.2)

 $(\pm 1.6\%)$

 (± 0.8)

 (± 0.6)

 (± 0.6)

 (± 0.4)

 (± 0.6)

 (± 1.0)

73.8% (± 2.2%)

94.	During the past 12 months, how many days did you stay out
	of school or stay away from your usual activities because of
	your asthma? [†]

- a. I do not have asthma
- b. None
- c. 1 to 2 days
- d. 3 to 4 days
- e. 5 to 19 days
- f. More than 10 days
- g. I don't know

95.	It is possible that you may have asthma and don't know it.
	Symptoms of asthma include cough, wheezing, shortness of
	breath, and chest tightness when you don't have a cold or
	the flu. During the past 30 days, how often did you have any
	symptoms of asthma? [†]

- a. Not at any time
- b. Less than once a week
- c. Once or twice a week
- d. More than 2 times a week, but not every day
- e. Every day, but not all the time
- f. Every day, all the time
- g. I don't know

96.	During the past 30 days, how many days did symptoms of
	asthma make it difficult for you to stay asleen at night?

- a. None
- b. 1 to 2 days
- c. 3 to 4 days
- d. 5 to 10 days
- e. More than 10 days
- f. I don't know

97.	An asthma plan is a printed sheet of instructions that tells
	when to change the amount or type of asthma medicine,
	when to call the doctor, and when to go to the emergency
	room. Has a doctor or other health professional EVER given
	you an asthma plan? [†]

- a. I do not have asthma.
- b. Yes
- c. No
- d. I don't know

eal	State			
195)	(n = 2,606)			
$(\pm 4.7\%)$	76.2%	$(\pm 2.0\%)$		
(± 2.9)	6.4	(± 1.0)		
(± 3.3)	12.2	(± 1.4)		
	(± 4.7%) (± 2.9)	$ \begin{array}{lll} (195) & (n = 2) \\ (\pm 4.7\%) & 76.2\% \\ (\pm 2.9) & 6.4 \end{array} $		

98. During the past 12 months have you taken the preventive kind of asthma medicine used everyday to protect your lungs and keep you from having attacks? (Include both pills and inhalers. This is different from inhalers used while you are having an asthma attack.)[†]

- a. I do not have asthma.
- b. Yes
- c. No
- d. I don't know

Local		State			
(n = 195)		(n = 2,598)			
82.6%	$(\pm 4.9\%)$	76.7%	$(\pm 1.8\%)$		
4.1	(± 2.2)	9.4	(± 1.2)		
10.8	(± 4.3)	11.6	(± 1.2)		
2.6	(± 2.2)	2.3	(± 0.6)		

99.	Have you ever been told by a doctor or other health professional that you have diabetes? [†]	Local $(n = 197)$ 93.9% $(\pm 4.5\%)$		State $(n = 2,611)$	
	a. No			93.1%	(± 1.4%)
	b. Yes	2.5	(± 2.9)	4.3	(± 1.0)
	c. I don't know	3.6	(± 2.9)	2.7	(± 0.8)
100.	Are you now taking any medication for your diabetes? [†]	Loc		Sta	
100.	a. I do not have diabetes	(n = 1) 94.4%	· ·	(n = 2) 92.6%	
	b. Yes, I'm taking insulin	0.5	$(\pm 2.7\%)$ (± 1.0)	1.1	$(\pm 1.4\%)$ (± 0.4)
	c. Yes, I'm taking hisumi	0.5	(± 1.0) (± 1.0)	1.0	(± 0.4) (± 0.4)
	d. Yes, I'm taking both insulin and pills	0.0	(± 0.0)	0.7	(± 0.4) (± 0.4)
	e. No	2.5	(± 0.0) (± 2.0)	3.3	(± 0.4) (± 0.6)
	f. I don't know	2.0	(± 2.0) (± 2.4)	1.3	(± 0.0) (± 0.4)
101	William and a last character and a state of the state of				
101.	When was the last time you saw a doctor or health care provider for a check-up or physical exam when you were	_	_	~	
	not sick or injured?	Loc		Sta	
		(n=2)	· ·	(n=3)	
	a. During the past 12 months	62.1%	(± 5.3%)	62.9%	$(\pm 2.5\%)$
	b. Between 12 and 24 months ago	14.6	(± 3.5)	14.0	(± 1.0)
	c. More than 24 months ago d. Never	7.5 6.3	(± 2.9)	6.9	(± 0.8)
	e. Not sure	9.5	(± 1.8)	5.0	(± 0.8)
	e. Not sure	9.3	(± 4.1)	11.2	(± 1.2)
102.	When was the last time you saw a dentist for a check-up,	Loc	cal	Sta	te
	exam, teeth cleaning, or other dental work?	(n=2)		(n = 3)	
	a. During the past 12 months	70.4%	$(\pm 6.9\%)$	74.1%	$(\pm 2.5\%)$
	b. Between 12 and 24 months ago	12.6	(± 4.3)	11.3	(± 1.2)
	c. More than 24 months ago	6.3	(± 3.1)	6.3	(± 1.0)
	d. Never	2.8	(± 1.4)	2.0	(± 0.4)
	e. Not sure	7.9	(± 4.5)	6.3	(± 1.2)
Safe	ty				
103.	When you rode a bicycle during the past 12 months, how	Loc	cal	Sta	te
	often did you wear a helmet?	(n=2)		(n = 3)	
	a. I did not ride a bicycle in the past 12 months	35.9%	$(\pm 7.4\%)$	26.0%	$(\pm 2.5\%)$
	b. Never wore a helmet	38.5	(± 7.1)	43.0	(± 2.9)
	c. Rarely wore a helmet	6.1	(± 2.7)	8.8	(± 1.2)
	d. Sometimes wore a helmet	6.5	(± 2.9)	5.6	(± 0.8)
	e. Most of the time wore a helmet	5.7	(± 2.4)	7.2	(± 1.2)
	f. Always wore a helmet	7.3	(± 3.1)	9.5	(± 1.8)
[Item	104 and 105 appear only on the elementary version of the survey.]				
106.	How often do you wear a life vest when you're in a small boat like a canoe, raft, or small motorboat?	Loc $(n = 2)$		Sta $(n = 3)$	
	a. Never go boating	31.7%	(± 6.1%)	19.1%	$(\pm 3.7\%)$
	b. Never	10.3	(± 3.3)	15.6	(± 1.6)
	c. Less than half the time	12.2	(± 3.1)	13.4	(± 1.4)
	d. About half the time	8.4	(± 3.1) (± 3.1)	10.0	(± 1.1) (± 1.0)
	e. More than half the time	14.1	(± 4.3)	14.9	(± 1.8)
	f. Always	23.3	(± 4.3)	26.9	(± 2.0)
	•		` /		` /

107.	How often do you wear a seat belt when riding in a car	Loc	al	Sta	ıte	
	(driven by someone else) ^B ?	(n=2)	262)	(n = 3,969)		
	a. Never	1.9%	$(\pm 1.4\%)$	1.1%	$(\pm 0.4\%)$	
	b. Rarely	1.5	(± 1.4)	1.9	(± 0.4)	
	c. Sometimes	3.8	(± 2.7)	4.3	(± 0.8)	
	d. Most of the time	17.6	(± 2.9)	19.7	(± 1.8)	
	e. Always	75.2	(± 4.9)	73.1	(± 2.2)	
108.	During the past 30 days, how many times did you ride in a					
	car or other vehicle driven by someone who had been	Loc	al	Sta	ite	
	drinking alcohol?	(n=2)	262)	(n = 3)	,961)	
	a. 0 times	80.9%	$(\pm 5.1\%)$	76.1%	$(\pm 1.8\%)$	
	b. 1 time	6.5	(± 3.5)	10.2	(± 1.2)	
	c. $2-3$ times	6.9	(± 3.3)	7.5	(± 0.8)	
	d. 4 - 5 times	1.5	(± 1.4)	1.7	(± 0.6)	
	e. 6 or more times	4.2	(± 2.0)	4.5	(± 0.6)	
			, ,		, ,	
[Item	109 appears only on the elementary version of the survey.]					
110.	During the past 30 days, how many times did you drive a	Loc	al.	Sta	ıte.	
	car or other vehicle when you had been drinking alcohol?	(n=2)		(n=3)		
	a. 0 times	93.5%	(± 3.5%)	93.6%	$(\pm 0.8\%)$	
	b. 1 time	2.7	(± 2.4)	3.1	(± 0.6)	
	c. 2 – 3 times	2.7	(± 2.0)	1.8	(± 0.4)	
	d. 4 – 5 times	0.4	(± 0.8)	0.3	(± 0.2)	
	e. 6 or more times	0.8	(± 0.0) (± 1.0)	1.2	(± 0.4)	
	e. o or more times	0.0	(= 1.0)	1.2	(= 0.1)	
In the	e past 30 days, when you bicycled or walked in your neighborhoo	od or to sch	iool:			
		Loc	al	Sta	ite	
111.	Did you have enough room to walk or bike?	(n=2)	239)	(n = 3)	,577)	
	a. Yes	64.4%	$(\pm 7.6\%)$	70.8%	$(\pm 2.0\%)$	
	b. No	8.4	(± 2.7)	7.3	(± 1.0)	
	c. I did not walk or ride a bike	27.2	(± 7.6)	21.9	(± 1.4)	
110	W	Loc		Sta		
112.	Was it easy to cross the streets?	(n=2)		(n = 3)		
	a. Yes	56.3%	$(\pm 5.9\%)$	54.0%	$(\pm 1.8\%)$	
	b. Sometimes yes and sometimes no	21.0	(± 4.1)	23.0	(± 1.8)	
	c. No	3.4	(± 2.4)	4.1	(± 0.4)	
	d. I did not cross any streets	2.9	(± 2.0)	3.7	(± 0.8)	
	e. I did not walk or ride a bike	16.4	(± 4.5)	15.2	(± 1.4)	
113.	Were there dogs or people who bothered you or made you	Loc	al	State		
	feel uneasy? ^B / who scared you? ^C	(n=2)	238)	(n = 3)	,558)	
	a. Yes, dogs	9.7%	$(\pm 4.3\%)$	10.9%	$(\pm 1.6\%)$	
	b. Yes, people	6.3	(± 2.5)	7.8	(± 1.0)	
	c. Yes, both dogs and people	9.7	(± 3.5)	7.2	(± 1.0)	
	d. No	55.9	$(\pm \ 8.0)$	56.2	(± 2.5)	
	e. I did not walk or ride a bike	18.5	(± 5.3)	17.8	(± 1.6)	

Behaviors Related to Intentional Injuries

- 114. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club for self-protection or because you thought you might need it in a fight? (DO NOT include carrying a weapon for hunting, fishing, or camping.)
 - a. 0 days
 - b. 1 day
 - c. 2-3 days
 - d. 4 5 days
 - e. 6 or more days
- 115. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?
 - a. 0 days
 - b. 1 day
 - c. 2 3 days
 - d. 4 5 days
 - e. 6 or more days
- [Item 116 appears only on the elementary version of the survey.]
- 117. During the past 12 months, how many times were you in a physical fight?

 - c. 2-3 times
 - d. 4 5 times
- 118. During the past 12 months, have you been a member of a

 - b. Yes
- 119. During the past 30 days, on how many days did you carry a
 - a. 0 days

 - e. 6 or more days
- - a. 0 times

 - c. 2-3 times
 - d. 4 5 times
 - e. 6 or more times

- Local State (n = 543)(n = 7.968)92.3% $(\pm 2.9\%)$ 90.4% (± 1.2%) 1.7 2.9 (± 1.2) (± 0.4) 1.5 2.2 (± 0.4) (± 1.2) 0.6 (± 0.6) 0.8 (± 0.2) 4.1 (± 1.8) 3.7 (± 0.6)
- Local State (n = 7,944)(n = 541)95.4% $(\pm 2.4\%)$ 93.1% $(\pm 1.0\%)$ 1.3 2.2 (± 0.4) (± 0.8) 0.6 (± 0.6) 1.3 (± 0.2) 0.6 (± 0.6) 0.7 (± 0.2) 2.2 (± 1.4) 2.7 (± 0.6)
- - a. 0 times
 - b. 1 time

 - e. 6 or more times
- gang?
 - a. No
- gun? (Do not include carrying a gun while hunting.)

 - b. 1 day
 - c. 2 3 days
 - d.4-5 days
- 120. During the past 12 months, how many times were you in a physical fight on school property?
 - b. 1 time

- Local State (n = 541)(n = 7,949)75.6% $(\pm 3.3\%)$ $71.9\% (\pm 1.4\%)$ 9.8 13.3 (± 3.1) (± 0.8) 6.7 8.9 (± 0.6) (± 1.4) 2.2 (± 1.2) 2.5 (± 0.4) 5.7 (± 2.2) 3.4 (± 0.4)
- Local State (n = 267)(n = 3,784)92.9% $(\pm 3.7\%)$ 93.8% $(\pm 1.0\%)$ 7.1 (± 3.7) 6.2 (± 1.0)
- Local State (n = 261)(n = 3.959)95.8% 96.9% $(\pm 2.5\%)$ $(\pm 0.6\%)$ 1.9 (± 1.8) 1.5 (± 0.4) 0.8 (± 1.4) 0.6 (± 0.2) 0.4 (± 0.8) 0.3 (± 0.2) 1.1 (± 1.4) 0.8 (± 0.2)
- Local State (n = 260)(n = 3.953)88.5% $(\pm 2.5\%)$ $88.6\% \quad (\pm 1.2\%)$ 5.8 (± 2.5) 7.1 (± 1.0) 4.6 (± 2.0) 3.1 (± 0.6) 0.4 (± 0.8) 0.4 (± 0.2) 0.8 (± 1.0) 0.8 (± 0.4)

121.	I try to work out conflicts or disagreements by talking about them. a. Almost always b. Often c. Sometimes d. Seldom e. Never	Loc. (n = 2 29.1% 24.1 20.7 10.7 15.3	Sta (n = 3 29.4% 21.8 24.6 12.3 11.9	
[Item	122 appears only on the elementary version of the survey.]			
123.	During the past 12 months, did your boyfriend or girlfriend ever limit your activities, threaten you, or make you feel unsafe in any other way? [†] a. No b. Yes	Local (n = 1 93.0% 7.0	Sta (n = 2 91.2% 8.8	
124.	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose? [†] a. No b. Yes	Loc. $(n = 1)$ 94.9% 5.1	Sta (n = 2 92.6% 7.4	
Dep	ression			
125.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No	Local (n = 5 31.9% 68.1	Sta (n = 7 32.6% 67.4	
126.	During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No	Loc. (n = 2 14.2% 85.8	Sta (n = 3 17.8% 82.2	
127.	During the past 12 months, did you make a plan about how you would attempt suicide? a. Yes b. No	Loc. $(n = 2)$ 14.6% 85.4	Sta (n = 3 13.7% 86.3	
128.	During the past 12 months, how many times did you actually attempt suicide? a. 0 times b. 1 time c. 2 – 3 times d. 4 – 5 times e. 6 or more times	Loca (n = 2 95.4% 1.9 2.3 0.0 0.4	Sta (n = 3 91.1% 4.9 2.4 0.5 1.0	
129.	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse? a. I did not attempt suicide during the past 12 months b. Yes c. No	Loca (n = 2 86.9% 1.5 11.6	Sta $(n = 3)$ 84.2% 3.1 12.6	

[Item 130 and 131 appear only on the elementary version of the survey.]

132.	When you feel sad or hopeless, are there people you can turn to for help?	Loc (n = 2)		Sta $(n=3)$	
	a. I never feel sad or hopeless	19.9%	$(\pm 5.1\%)$	19.4%	$(\pm 1.6\%)$
	b. Yes	57.9	(± 6.5)	59.5	(± 1.6)
	c. No	7.3	(± 3.5)	8.0	(± 1.0)
	d. Not sure	14.9	(± 5.3)	13.1	(± 1.0)
133.	How likely would you be to seek help if you were feeling	Loc	al	Sta	te
	depressed or suicidal?	(n = 2)	50)	(n = 3)	,742)
	a. I never feel depressed or suicidal	42.8%	$(\pm 7.4\%)$	41.5%	$(\pm 1.8\%)$
	b. Very likely	14.4	(± 4.1)	17.0	(± 1.6)
	c. Somewhat likely	14.0	(± 3.9)	15.9	(± 1.2)
	d. Somewhat unlikely	12.0	(± 3.7)	11.2	(± 1.2)
	e. Very unlikely	16.8	(± 5.5)	14.4	(± 1.4)
134.	How likely would you be to seek help for a friend who you	Loc	al	Sta	te
	thought might be depressed or suicidal?	(n = 2)	52)	(n = 3)	,724)
	a. Very likely	53.2%	$(\pm 6.7\%)$	58.8%	$(\pm 2.2\%)$
	b. Somewhat likely	26.6	(± 4.7)	24.0	(± 1.8)
	c. Somewhat unlikely	7.9	(± 2.5)	7.2	(± 0.8)
	d. Very unlikely	12.3	(± 3.7)	9.9	(± 1.6)

School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

135. A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength quarrel or fight. In the last 30 days, how often have you been bullied?

last 30 days, how often have you been bullied?	(n = 5)	27)	(n = 7)	,731)
a. I have not been bullied	82.7%	$(\pm 2.9\%)$	78.2%	$(\pm 2.0\%)$
b. Once	7.2	(± 2.2)	10.1	(± 0.8)
c. $2-3$ times	5.7	(± 1.8)	6.2	(± 0.8)
d. About once a week	2.1	(± 1.0)	2.2	(± 0.4)
e. Several times a week	2.3	(± 1.4)	3.4	(± 0.6)

136. Has anyone ever made offensive racial comments or attacked you based on your race or ethnicity, either at school or on your way to or from school?

or on your	way	10 01	110111	SCHOO
a. No				
b. Yes				
c. Unsure				

Has anyone ever made offensive sexual comments to you—
at school or on your way to or from school?

a. No
b. Yes
c. Unsure

Loc	al	Sta	te
(n=1)	199)	(n = 2)	,680)
49.2%	$(\pm 5.5\%)$	69.8%	$(\pm 2.7\%)$
35.2	(± 7.3)	21.5	(± 2.4)
15.6	(± 4.9)	8.7	(± 1.2)

State

Local

Loc	al	Sta	te
(n = 2)	200)	(n = 2)	,679)
58.0%	$(\pm 7.8\%)$	58.5%	$(\pm 2.5\%)$
30.0	(± 6.3)	33.8	(± 2.2)
12.0	(± 7.4)	7.7	(± 1.0)

138.	Has anyone ever made offensive comments or attacked you because they thought you were gay or lesbian—at school or on your way to or from school?	Loc (n = 1		Sta (n = 2	
	a. No	87.4%	(± 3.3%)	83.6%	$(\pm 2.0\%)$
	b. Yes	9.0	(± 3.570) (± 2.5)	12.3	(± 1.6)
	c. Unsure	3.5	(± 3.1)	4.1	(± 0.8)
	c. Onsure	3.3	(± 3.1)	7.1	(± 0.0)
139.	Has anyone ever made offensive comments or attacked you because they thought you had a physical disability or				
	difference either at school or on your way to or from	Loc	al	Sta	ite
	school? [†]	(n = 1)	.98)	(n = 2)	,668)
	a. No	89.9%	$(\pm 3.7\%)$	89.7%	$(\pm 1.6\%)$
	b. Yes	4.5	(± 2.2)	6.4	(± 1.0)
	c. Unsure	5.6	(± 3.9)	3.9	(± 0.8)
140.	Does your school provide a counselor, intervention				
	specialist, or other school staff member for students to	Loc	-a1	Sta	ıto.
	discuss problems with alcohol, tobacco, or other drugs?	(n=2)		(n=4)	
	a. No	7.9%	$(\pm 3.3\%)$	4.6%	$(\pm 0.6\%)$
	b. Yes	60.2	(± 8.4)	69.3	(± 2.2)
	c. I'm not sure	31.9	(± 0.4) (± 7.4)	26.1	(± 2.2) (± 2.2)
	c. I ill not sure	31.7	(± 7.4)	20.1	(± 2.2)
141.	How good is your school at educating you about HIV/AIDS?	Loc $(n=2)$		Sta $(n = 3)$	
	a. Very good	16.7%	(± 4.7%)	17.2%	$(\pm 2.4\%)$
	b. Good	29.3	(± 4.770) (± 6.5)	31.9	, ,
			, ,		(± 2.5)
	c. Fair	29.3	(± 4.5)	29.6	(± 2.2)
	d. Poor	11.0	(± 3.1)	11.8	(± 1.4)
	e. I have not had HIV/AIDS education at my school	13.8	(± 7.1)	9.5	(± 2.2)

Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the items related to individual quality of life.

1.10		Loca	ıl	Sta	te
142.	There are adults in my life who really care about me.	(n = 24)	41)	(n = 3,	,654)
	a. 0 not at all true	2.1%	$(\pm 1.6\%)$	2.3%	$(\pm0.6\%)$
	b. 1	0.0	(± 0.0)	2.2	(± 0.6)
	c. 2	3.7	(± 2.2)	2.3	(± 0.6)
	d. 3	1.2	(± 1.2)	2.0	(± 0.4)
	e. 4	0.8	(± 1.0)	2.2	(± 0.4)
	f. 5	2.9	(± 1.6)	3.7	(± 0.6)
	g. 6	2.9	(± 1.4)	2.4	(± 0.4)
	h. 7	4.6	(± 2.0)	4.2	(± 0.8)
	i. 8	5.8	(± 1.8)	5.1	(± 0.8)
	j. 9	7.5	(± 4.3)	5.9	(± 1.0)
	k. 10 completely true	68.5	(± 7.8)	67.7	(± 2.4)

Grade 10

		Loc	al	Sta	te
147.	I feel alone in my life.	(n = 2)	40)	(n = 3)	,580)
	a. 0 not at all true	39.2%	$(\pm 7.6\%)$	40.5%	$(\pm 1.8\%)$
	b. 1	13.3	(± 3.3)	13.0	(± 1.2)
	c. 2	8.3	(± 4.1)	8.4	(± 1.0)
	d. 3	5.8	(± 2.5)	4.9	(± 0.8)
	e. 4	5.0	(± 3.5)	3.0	(± 0.6)
	f. 5	3.3	(± 2.5)	5.2	(± 0.8)
	g. 6	3.8	(± 1.8)	4.1	(± 0.6)
	h. 7	8.3	(± 3.9)	4.8	(± 0.8)
	i. 8	6.7	(± 2.7)	5.7	(± 0.6)
	j. 9	2.9	(± 2.4)	4.4	(± 0.6)
	k. 10 completely true	3.3	(± 2.0)	5.9	(± 0.8)
		Loc	al	Sta	te
148.	Compared with others my age, my life is	(n = 2)		(n = 3)	
	a. 0 much worse than others	5.8%	$(\pm 3.1\%)$	3.5%	$(\pm0.6\%)$
	b. 1	0.8	(± 1.0)	1.6	(± 0.4)
	c. 2	4.1	(± 2.9)	2.7	(± 0.6)
	d. 3	2.1	(± 1.6)	3.6	(± 0.6)
	e. 4	4.1	(± 3.1)	4.5	(± 0.6)
	f. 5	14.1	(± 4.5)	15.4	(± 1.2)
	g. 6	10.0	(± 4.1)	8.7	(± 1.0)
	h. 7	16.2	(± 4.5)	14.9	(± 1.0)
	i. 8	14.9	(± 3.9)	17.3	(± 1.2)
	j. 9	9.5	(± 3.9)	10.3	(± 1.2)
	k. 10 much better than others	18.3	(± 6.7)	17.5	(± 1.4)

[Item 149 appears only on the elementary version of the survey.]

Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research has shown that protective factors exert a positive influence against the negative influence of risk factors. The survey included substantial coverage of risk and protective factors based on the work of Drs. Hawkins and Catalano and associates at the University of Washington. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey items were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

The table on the following page provides the complete list of risk and protective factors and indicates the years the Healthy Youth Survey has included each factor.

Risk and Protective Factor Framework and Reporting Schedule

	Health	y Youth S	urvey Adı	<u>ministrati</u> o	n Year
	1995	1998	2000	2002	2004
Community Risk Factors					
Low Neighborhood Attachment	Х	X	X	X ^S	
Community Disorganization	X				
Transitions and Mobility	X				X ^S
Perceived Availability of Drugs	X	Х	X	Х	X
Perceived Availability of Handguns	X	X	X	X ^S	XS
Laws And Norms Favorable to Drug Use	X	X	X	X	X
Community Protective Factors					
Opportunities for Prosocial Involvement			Х	Х	XS
Rewards for Prosocial Involvement	Х	X	X	X	X
Family Risk Factors					
Family History of Antisocial Behavior	Х				
Poor Family Management	X			X ^S	XS
Family Conflict					
Parental Attitudes Favorable towards Drug Use					XS
Parental Attitudes Favorable to Antisocial Behavior	Х				XS
Antisocial Behavior Among Familiar Adults				X ^S	
Family Protective Factors					
Attachment					
Opportunities for Prosocial Involvement	Х			Х	X^{E}
Rewards for Prosocial Involvement	Х			Х	X^{E}
CL ID'LE 4					
School Risk Factors	V	V	V		
Academic Failure	X	X	X	X	<u>X</u>
Low Commitment to School		Λ	Λ		Λ
School Protective Factors				6	
Opportunities for Prosocial Involvement	Х	X	X	X ^s	Xs
Rewards for Prosocial Involvement	Χ	X	Χ	Х	X
Peer-Individual Risk Factors					
Rebelliousness	X	X			
Gang Involvement					
Perceived Risk of Drug Use		Χ	Χ	X	X
Early Initiation of Drug Use			Χ	X ^s	XS
Early Initiation of Antisocial Behavior	Χ	Х	Χ	X ^s	X^{S}
Favorable Attitudes Towards Drug Use	Χ	Х	Х	X	X
Favorable Attitudes Towards Antisocial Behavior	Χ	Χ	Χ	X ^s	X^{S}
Sensation Seeking	Χ	Χ			
Rewards for Antisocial Involvement		Χ	Χ	X ^s	X ^S
Friends' Use of Drugs	Χ	Χ	Χ	X^{S}	X^{S}
Interaction With Antisocial Peers	Χ	Χ			X^{S}
Intentions to Use				X ^s	X ^S
Peer-Individual Protective Factors					
Interaction With Prosocial Peers					Χ
Belief in the Moral Order	Х	Х	Х	Xs	XS
Prosocial Involvement					Χ
Rewards for Prosocial Involvement					
Social Skills	Х	Х	Xs	Xs	XS
Religiosity		Х			

Note. S = Included only on the secondary version; E = Included only on the elementary version.

Risk and Protective Factor Scale Results

For each *risk* factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that *more* students are likely to engage in problem behaviors. For each *protective* factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that *fewer* students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.


Community Risk Factors	Local	State		
Transitions and Mobility (Items 150–153)	(n = 285) $61.8%$ (± 6.1%) $(n = 282)$	(n = 4,070) 57.7% (± 4.7%) (n = 4,044)		
Perceived Availability of Drugs (Items 154–157)	$ \begin{array}{ccc} (n & 262) \\ 23.8\% & (\pm 4.3\%) \\ (n = 281) \end{array} $	31.8% (± 2.2%) ($n = 4,044$)		
Perceived Availability of Handguns (Items 158)	$(n = 281)$ $17.8\% (\pm 5.1\%)$ $(n = 285)$	(n = 4,044) 21.0% (± 2.0%) (n = 4,045)		
Laws And Norms Favorable to Drug Use (Items 159–164)	33.7% (± 6.1%)	40.1% (± 2.5%)		
Community Protective Factors	Local $(n = 281)$	State $(n = 3,981)$		
Opportunities for Prosocial Involvement (Items 165–170)	$66.5\% \qquad (\pm 7.1\%)$ $(n = 282)$	$72.4\% (\pm 2.7\%)$ (n = 4,044)		
Rewards for Prosocial Involvement (Items 171–173)	55.0% (± 6.7%)	60.4% (± 2.2%)		
		Q		
Family Risk Factors	Local $(n = 198)$	State $(n = 2,628)$		
Poor Family Management (Items 174–181)	33.3% (± 7.1%) ($n = 197$)	$38.7\% (\pm 2.4\%)$ $(n = 2,603)$		
Parental Attitudes Favorable towards Drug Use (Items 182–184)	$35.0\% \qquad (\pm 5.7\%)$	41.8% (± 2.4%)		
	(n = 197)	(n = 2,589)		
Parental Attitudes Favorable to Antisocial Behavior (Items 185–187)	49.7% (± 5.5%)	50.8% (± 2.5%)		
Family Protective Factors (Items 188–194)	[Only on the elementary version of the survey.			
School Risk Factors	Local (n = 275)	State $(n = 3,970)$		
Academic Failure (Items 195–196)	$(n - 273)$ $38.9\% (\pm 5.1\%)$ $(n = 282)$	(n = 3.970) 47.2% (± 2.4%) (n = 4.051)		
Low Commitment to School (Items 197–203)	36.9% (± 8.2%)	40.7% (± 2.4%)		
School Protective Factors	Local $(n = 278)$	State $(n = 4,026)$		
Opportunities for Prosocial Involvement (Items 204–208)	$57.6\% \qquad (\pm 6.3\%)$ $(n = 278)$	$58.5\% (\pm 2.7\%)$ $(n = 4,023)$		
Rewards for Prosocial Involvement (Items 209-212)	60.4% (± 5.9%)	61.2% (± 2.4%)		

28

Peer-Individual Risk Factors	Local	State	
	(n = 267)	(n = 3,857)	
Perceived Risk of Drug Use (Items 213–216)	$30.0\% (\pm 7.3\%)$	$33.7\% (\pm 2.0\%)$	
-	(n = 270)	(n = 3,829)	
Early Initiation of Drug Use (Items 217, 219–220, 222)	$24.8\% (\pm 4.5\%)$	$29.2\% (\pm 2.4\%)$	
	(n = 269)	(n = 3,795)	
Early Initiation of Antisocial Behavior (Items 226–229)	$31.6\% (\pm 5.1\%)$	$35.4\% (\pm 2.5\%)$	
	(n = 260)	(n = 3,715)	
Favorable Attitudes Towards Drug Use (Items 230–233)	$26.9\% (\pm 6.5\%)$	$35.0\% (\pm 1.8\%)$	
	(n = 263)	(n = 3,733)	
Favorable Attitudes Towards Antisocial Behavior (Items 234, 235, 237, 238)	36.9% (± 5.9%)	41.0% (± 1.8%)	
, , , ,	(n = 279)	(n = 3.956)	
Rewards for Antisocial Involvement (Items 240–243)	$38.7\% (\pm 5.7\%)$	44.7% (± 2.2%)	
		(n = 3.656)	
Friends' Use of Drugs (Items 244–247)		27.6% (± 2.2%)	
	(n = 280)	(n = 3,915)	
Interaction With Antisocial Peers (Items 248–253)	$44.3\% (\pm 8.0\%)$	45.2% (± 2.5%)	
	(n = 260)	(n = 3,663)	
Intentions to Use (Items 254–256)	31.2% (± 6.1%)	37.3% (± 1.8%)	
Peer-Individual Protective Factors	Local	State	
	(n = 258)	(n = 3,683)	
Interaction With Prosocial Peers (Items 257–261)	$56.6\% \qquad (\pm 6.9\%)$		
	(n = 279)	(n = 3,971)	
Belief in the Moral Order (Items 262–265)	$72.0\% \qquad (\pm 5.1\%)$		
	(n = 280)	(n = 4,041)	
Prosocial Involvement (Items 266–268)	$42.5\% \qquad (\pm 8.2\%)$	$45.1\% (\pm 3.1\%)$	
	(n = 280)	(n = 3.936)	
Social Skills (Items 269–272)	63.2% (± 5.3%)	60.8% (± 2.2%)	

Graph of Scale Results

Risk and Protective Factors



Risk and Protective Factors: Individual Item Results

The remainder of the report provides results for the individual items used to compute the risk and protective factors.

Community Domain

150.	Have you changed homes in the past year?	Local $(n = 284)$		State $(n = 4,069)$	
150.		,		*	
	a. No	70.4%	$(\pm 6.3\%)$	74.0%	
	b. Yes	29.6	(± 6.3)	26.0	(± 1.8)
151.	How many times have you changed homes since	ee Lo		State	
	kindergarten?	(n=1)	285)	(n = 4)	,065)
	a. Never	27.0%	$(\pm 4.3\%)$	28.9%	$(\pm 1.8\%)$
	b. 1 or 2 times	32.6	(± 4.5)	31.8	(± 2.2)
	c. 3 or 4 times	23.9	(± 4.7)	20.1	(± 1.4)
	d. 5 or 6 times	8.8	(± 3.3)	10.3	(± 1.2)
	e. 7 or more	7.7	(± 2.5)	8.9	(± 1.4)
152.	Have you changed schools (including changing from				
	elementary to middle and middle to high school) in the past	Loc	ral	Sta	nte
	year?	(n=1)		State $(n = 4,061)$	
	a. No	56.5%	(± 12.2%)	62.2%	$(\pm 8.4\%)$
	b. Yes	43.5	(± 12.2)	37.8	(± 8.4)
			(= 1 2.2)	07.0	(= 0)
153.	How many times have you changed schools (including				
	changing from elementary to middle and middle to high	Loc	nal na	Sta	nte.
	school) since kindergarten?	(n=1)		(n=4)	
	a. Never	10.9%	$(\pm 4.7\%)$	11.7%	$(\pm 2.0\%)$
	b. 1 or 2 times	22.1	(± 4.3)	25.4	(± 2.5)
	c. 3 or 4 times	40.7	(± 6.3)	39.2	(± 2.2)
	d. 5 or 6 times	17.2	(± 5.5)	15.9	(± 1.6)
	e. 7 or more	9.1	(± 4.3)	7.9	(± 1.0)
			,		,
154.	If you wanted to get some beer, wine, or hard liquor (for				
	example: vodka, whiskey, or gin), how easy would it be for	Loc	cal	State	
	you to get some?	(n=1)	283)	(n = 4)	,043)
	a. Very hard	22.6%	$(\pm4.7\%)$	16.8%	$(\pm 2.0\%)$
	b. Sort of hard	27.9	(± 4.7)	23.2	(± 1.4)
	c. Sort of easy	26.9	(± 5.7)	29.6	(± 1.2)
	d. Very easy	22.6	(± 4.9)	30.4	(± 2.0)
155.	If you wanted to get some cigarettes, how easy would it be	Loc	1	Cto	140
	for you to get some?	(n=1)		State $(n = 4,046)$	
	a. Very hard	26.9%	$(\pm 5.1\%)$	23.9%	(± 1.6%)
	b. Sort of hard	27.9	(± 3.170) (± 4.1)	22.1	(± 1.8)
	c. Sort of easy	24.4	(± 4.1) (± 4.3)	23.3	(± 1.6) (± 1.4)
	d. Very easy	20.8	(± 4.5) (± 4.5)	30.8	(± 1.4) (± 2.4)
	u. Very easy	20.8	(± 4.3)	30.6	(± 2.4)
156.	If you wanted to get some marijuana, how easy would it be	Loc	cal	Sta	nte
	for you to get some?	(n=1)		(n=4)	
	a. Very hard	40.1%	(± 6.7%)	32.3%	(± 2.2%)
	b. Sort of hard	23.4	(± 5.1)	20.3	(± 1.2)
	c. Sort of easy	15.6	(± 4.1)	22.5	(± 1.4)
	d. Very easy	20.9	(± 4.7)	24.9	(± 2.0)
		20.7	(= ···/		()

157.	If you wanted to get a drug like cocaine, LSD, or	Ι	-1	C4.	.4	
157.	amphetamines, how easy would it be for you to get some?	Local $(n = 281)$		State $(n = 4,037)$		
	a. Very hard	60.5%	$(\pm 5.3\%)$	55.3%	$(\pm 2.4\%)$	
	b. Sort of hard	23.1	(± 3.9)	24.6	(± 1.6)	
	c. Sort of easy	10.0	(± 3.1)	13.7	(± 1.2)	
	d. Very easy	6.4	(± 2.7)	6.3	(± 0.8)	
	a		(==,		(= 0.0)	
158.	If you wanted to get a handgun, how easy would it be for	Loc	al	Sta	ite	
	you to get one?	(n=2)	281)	(n = 4)	,044)	
	a. Very hard	63.3%	$(\pm 6.7\%)$	54.0%	$(\pm 2.5\%)$	
	b. Sort of hard	18.9	(± 3.5)	25.0	(± 1.6)	
	c. Sort of easy	10.0	(± 3.5)	11.3	(± 1.0)	
	d. Very easy	7.8	(± 2.7)	9.8	(± 1.2)	
159.	How wrong would most adults in your neighborhood think	Loc	al	Sta	ite	
	it was for kids your age to use marijuana?	(n=2)		(n = 4,051)		
	a. Very wrong	63.2%	(± 7.3%)	58.4%	(± 3.1%)	
	b. Wrong	26.0	(± 5.5)	29.5	(± 2.2)	
	c. A little bit wrong	6.3	(± 3.1)	8.8	(± 1.4)	
	d. Not wrong at all	4.6	(± 2.5)	3.3	(± 0.6)	
160.	How wrong would most adults in your neighborhood think	Loc	al	Sta	ite	
	it was for kids your age to drink alcohol?	(n=2)	284)	(n = 4)	,043)	
	a. Very wrong	38.4%	$(\pm 7.6\%)$	36.7%	$(\pm 2.0\%)$	
	b. Wrong	41.5	(± 7.1)	39.4	(± 1.6)	
	c. A little bit wrong	15.8	(± 4.9)	18.8	(± 1.6)	
	d. Not wrong at all	4.2	(± 2.4)	5.2	(± 0.8)	
161.	How wrong would most adults in your neighborhood think	_	_	~		
101.	it was for kids your age to smoke cigarettes?	Loc		State (n = 4.046)		
		(n = 249.5%)		(n = 4) 44.5%	(n = 4.046)	
	a. Very wrong	35.4	(± 7.6%) (± 5.7)	35.2	(± 1.8%) (± 1.4)	
	b. Wrong	12.6	(± 3.7) (± 3.5)	14.8	(± 1.4) (± 1.2)	
	c. A little bit wrong	2.5	(± 3.5) (± 1.6)	5.5	(± 1.2) (± 0.8)	
	d. Not wrong at all	2.3	(± 1.0)	3.3	(± 0.8)	
162.	If a kid drank some beer, wine, or hard liquor (for example:					
102.	vodka, whiskey, or gin) in your neighborhood would he or	Loc	o1	Sto	ito	
	she be caught by the police?	(n=2)		State $(n = 4.043)$		
	a. NO!	20.8%	$(\pm 4.3\%)$	25.9%	(± 1.8%)	
	b. no	58.1	(± 4.5)	55.1	(± 2.4)	
	c. yes	16.9	(± 3.7)	14.5	(± 1.4)	
	d. YES!	4.2	(± 3.1)	4.5	(± 1.0)	
			,		,	
163.	If a kid carried a handgun in your neighborhood would he or	Loc	al	Sta	ite	
	she be caught by the police?	(n=2)		(n = 4,028)		
	a. NO!	13.1%	(± 2.9%)	13.4%	(± 1.6%)	
	b. no	33.9	(± 4.7)	37.0	(± 1.4)	
	c. yes	32.9	(± 5.1)	31.2	(± 1.4)	
	d. YES!	20.1	(± 5.3)	18.4	(± 1.6)	

164.	If a kid smoked marijuana in your neighborhood would he or she be caught by the police?	Local (n = 283)		State $(n = 4,031)$		
	a. NO!	17.7%	$(\pm 4.7\%)$	21.5%	$(\pm 2.0\%)$	
	b. no	47.0	(± 6.1)	48.1	(± 2.0)	
	c. yes	26.1	(± 4.7)	21.9	(± 1.6)	
	d. YES!	9.2	(± 3.3)	8.6	(± 1.4)	
165.	There are adults in my neighborhood I could talk to about	Local		Sta		
	something important.	(n=2)	*	(n=4)		
	a. NO!	17.5%	(± 5.5%)	12.9%	(± 1.2%)	
	b. no	16.5	(± 4.9)	18.0	(± 1.2)	
	c. yes	40.4	(± 4.9)	38.8	(± 1.6)	
	d. YES!	25.6	(± 5.7)	30.3	(± 1.8)	
Which	h of the following activities for people your age are available in	ı your comm	unity?			
		Local		State		
166.	Sports teams	(n = 284)		(n = 4,043)		
	a. Yes	85.6%	$(\pm 5.3\%)$	90.6%	$(\pm 1.6\%)$	
	b. No	14.4	(± 5.3)	9.4	(± 1.6)	
167.	Scouting	Loc		Sta		
107.		(n=2)	*	(n=3)		
	a. Yes	58.8%	$(\pm 7.4\%)$	66.1%	(± 4.1%)	
	b. No	41.2	(± 7.4)	33.9	(± 4.1)	
168.	Boys and girls clubs		Local		State	
100.	-	(n=2)		(n=4)		
	a. Yes	68.8%	$(\pm 8.0\%)$	67.0%	(± 4.7%)	
	b. No	31.2	(± 8.0)	33.0	(± 4.7)	
169.	4-H clubs		Local		State $(n = 3,876)$	
10).		(n = 2)	*		,876) (± 5.7%)	
	a. Yes	45.4% 54.6	(± 7.8%) (± 7.8)	59.6% 40.4		
	b. No	34.0	(± 7.6)	40.4	(± 5.7)	
170		Loc		Sta		
170.	Service clubs	(n = 2)		(n = 3,901)		
	a. Yes	68.0%	$(\pm 6.7\%)$		$(\pm 3.1\%)$	
	b. No	32.0	(± 6.7)	34.5	(± 3.1)	
171.	My neighbors notice when I am doing a good job and let me	Loc		Sta		
	know.	(n = 2)		(n = 4)		
	a. NO!	29.5%	$(\pm 5.1\%)$	27.2%	$(\pm 1.8\%)$	
	b. no	32.7	(± 4.1)	34.5	(± 1.8)	
	c. yes	29.9	(± 4.9)	29.3	(± 1.6)	
	d. YES!	7.8	(± 3.9)	9.0	(± 1.2)	
172.	There are people in my neighborhood who encourage me to	Loc	al	State		
	do my best.	(n = 2)	281)	(n = 4)	,032)	
	a. NO!	21.0%	$(\pm 5.5\%)$	20.3%	$(\pm 1.8\%)$	
	b. no	35.6	(± 6.3)	26.2	(± 1.4)	
	c. yes	30.2	(± 5.1)	36.4	(± 2.0)	
	d. YES!	13.2	(± 4.1)	17.1	(± 1.8)	

Grade 10

173.	There are people in my neighborhood who are proud of me when I do something well.		Local $(n = 280)$		State $(n = 4,033)$	
	a. NO!	20.0%	$(\pm 6.1\%)$	18.9%	$(\pm 2.0\%)$	
	b. no	29.3	(± 4.5)	24.7	(± 1.4)	
	c. yes	39.3	(± 6.5)	40.2	(± 2.2)	
	d. YES!	11.4	(± 4.5)	16.1	(± 1.4)	

Family Domain

The next set of questions asks about your family. When answering these questions, please think about the people you consider to be your family—parents, grandparents, aunts, uncles, etc.

174	My parents ask if I've gotten my homework done.	Local		State		
174.		(n = 200)		(n = 2,639)		
	a. NO!	4.5%	(± 2.7%)	5.3%	(± 1.4%)	
	b. no	9.5	(± 4.5)	9.9	(± 1.4)	
	c. yes	35.5	(± 5.7)	38.9	(± 1.6)	
	d. YES!	50.5	(± 4.7)	45.9	(± 2.4)	
175.	Would your parents know if you did not come home on	Loc	al	Sta	ite	
	time? [†]	(n = 1)	99)	(n = 2)	,632)	
	a. NO!	8.0%	$(\pm 3.5\%)$	5.8%	$(\pm 1.0\%)$	
	b. no	14.1	(± 2.5)	15.3	(± 1.8)	
	c. yes	35.7	(± 5.1)	38.0	(± 2.2)	
	d. YES!	42.2	(± 4.9)	40.9	(± 2.2)	
176.	When I am not at home, one of my parents knows where I	Loc	al	Sta	nte	
	am and who I am with. [†]	(n=1)		(n = 2,629)		
	a. NO!	7.0%	$(\pm 3.7\%)$	5.2%	$(\pm 1.0\%)$	
	b. no	9.0	(± 2.9)	11.3	(± 1.4)	
	c. yes	47.7	(± 6.1)	44.0	(± 2.4)	
	d. YES!	36.2	(± 4.9)	39.5	(± 2.4)	
			Local		State	
		Loc	al	Sta	ıte	
177.	The rules in my family are clear. [†]	Loc $(n = 1)$		Sta $(n=2)$		
177.	The rules in my family are clear. [†] a. NO!					
177.	• •	(n = 1)	99)	(n=2)	,621)	
177.	a. NO!	(n = 15.0%)	99) (± 2.4%)	(n = 2 4.7%)	,621) (± 1.0%)	
177.	a. NO! b. no	(n = 1) 5.0% 13.1	99) (± 2.4%) (± 6.5)	(n = 2 4.7% 13.0	,621) (± 1.0%) (± 1.6)	
177.	a. NO! b. no c. yes d. YES!	(n = 1) 5.0% 13.1 38.2	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6)	(n = 2 4.7% 13.0 41.2 41.1	(± 1.0%) (± 1.6) (± 2.7) (± 2.2)	
177.178.	a. NO! b. no c. yes	(n = 1 5.0% 13.1 38.2 43.7	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6)	(n = 2 4.7% 13.0 41.2 41.1	(± 1.0%) (± 1.6) (± 2.7) (± 2.2)	
	a. NO! b. no c. yes d. YES!	(n = 1 5.0% 13.1 38.2 43.7 Loc	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6)	(n = 2 4.7% 13.0 41.2 41.1	(± 1.0%) (± 1.6) (± 2.7) (± 2.2)	
	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. †	(n = 1) 5.0% 13.1 38.2 43.7 Loc $(n = 1)$	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97)	(n = 2 4.7% 13.0 41.2 41.1 Sta $(n = 2)$	(± 1.0%) (± 1.6) (± 2.7) (± 2.2) tte ,612)	
	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. a. NO! b. no	(n = 1) 5.0% 13.1 38.2 43.7 Loc $(n = 1)$ 7.1%	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97) (± 3.5%)	(n = 2 4.7% 13.0 41.2 41.1 Sta $(n = 2$ 5.4%	$(\pm 1.0\%)$ (± 1.6) (± 2.7) (± 2.2) atte (± 612) $(\pm 1.2\%)$	
	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. a. NO!	(n = 1) 5.0% 13.1 38.2 43.7 Loc $(n = 1)$ 7.1% 11.7	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97) (± 3.5%) (± 3.9)	(n = 2 4.7% 13.0 41.2 41.1 Sta $(n = 2$ 5.4% 12.7	$\begin{array}{l} \text{,621)} \\ \text{(\pm 1.0\%)} \\ \text{(\pm 1.6)} \\ \text{(\pm 2.7)} \\ \text{(\pm 2.2)} \\ \text{ste} \\ \text{,612)} \\ \text{(\pm 1.2\%)} \\ \text{(\pm 1.2)} \end{array}$	
	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. a. NO! b. no c. yes	(n = 1) 5.0% 13.1 38.2 43.7 Loc $(n = 1)$ 7.1% 11.7 27.9	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97) (± 3.5%) (± 3.9) (± 8.0)	(n = 2 $4.7%$ 13.0 41.2 41.1 Sta $(n = 2$ $5.4%$ 12.7 29.4	$\begin{array}{l} \text{($\pm 1.0\%)} \\ \text{(± 1.6)} \\ \text{(± 2.7)} \\ \text{(± 2.2)} \\ \text{ate} \\ \text{,}612) \\ \text{($\pm 1.2\%)} \\ \text{($\pm 1.2$)} \\ \text{($\pm 2.2$)} \\ \end{array}$	
178.	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. a. NO! b. no c. yes d. YES!	(n = 1 5.0% 13.1 38.2 43.7 Loc (n = 1 7.1% 11.7 27.9 53.3	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97) (± 3.5%) (± 3.9) (± 8.0) (± 8.4)	(n = 2) 4.7% 13.0 41.2 41.1 Sta $(n = 2)$ 5.4% 12.7 29.4 52.6	(±1.0%) (±1.6) (±2.7) (±2.2) tte (,612) (±1.2%) (±1.2) (±2.2)	
178.	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. a. NO! b. no c. yes d. YES! If you drank some beer, wine, or liquor (for example: vodka,	(n = 1 5.0% 13.1 38.2 43.7 Loc (n = 1 7.1% 11.7 27.9 53.3 Loc	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97) (± 3.5%) (± 3.9) (± 8.0) (± 8.4)	(n = 2) 4.7% 13.0 41.2 41.1 Sta $(n = 2)$ 5.4% 12.7 29.4 52.6	$\begin{array}{l} \text{($\pm$1.0\%)} \\ \text{($\pm1.6)} \\ \text{(\pm2.7$)} \\ \text{($\pm2.2)} \\ \text{tte} \\ \text{,}612) \\ \text{(\pm1.2\%)} \\ \text{(\pm1.2$)} \\ \text{($\pm2.2)} \\ \text{(\pm2.2$)} \\ \end{array}$	
178.	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. a. NO! b. no c. yes d. YES! If you drank some beer, wine, or liquor (for example: vodka, whiskey, or gin) without your parent's permission, would you be caught by them?	(n = 1) 5.0% 13.1 38.2 43.7 Loc $(n = 1)$ 7.1% 11.7 27.9 53.3 Loc $(n = 1)$	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97) (± 3.5%) (± 3.9) (± 8.0) (± 8.4)	(n = 2) 4.7% 13.0 41.2 41.1 Sta $(n = 2)$ 5.4% 12.7 29.4 52.6 Sta $(n = 2)$	$\begin{array}{l} \text{,621)} \\ \text{(\pm 1.0\%)} \\ \text{(\pm 1.6)} \\ \text{(\pm 2.7)} \\ \text{(\pm 2.2)} \\ \text{ate} \\ \text{,612)} \\ \text{(\pm 1.2\%)} \\ \text{(\pm 1.2)} \\ \text{(\pm 2.2)} \\ \text{(\pm 2.2)} \\ \text{ate} \\ \text{,613)} \end{array}$	
178.	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. a. NO! b. no c. yes d. YES! If you drank some beer, wine, or liquor (for example: vodka, whiskey, or gin) without your parent's permission, would you be caught by them? a. NO!	(n = 1 5.0% 13.1 38.2 43.7 Loc (n = 1 7.1% 11.7 27.9 53.3 Loc	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97) (± 3.5%) (± 3.9) (± 8.0) (± 8.4) al 97) (± 4.1%)	(n = 2) 4.7% 13.0 41.2 41.1 Sta $(n = 2)$ 5.4% 12.7 29.4 52.6	$\begin{array}{l} \text{($\pm 1.0\%)} \\ \text{(± 1.6)} \\ \text{(± 2.7)} \\ \text{(± 2.2)} \\ \text{tte} \\ \text{,}612) \\ \text{($\pm 1.2\%)} \\ \text{($\pm 1.2$)} \\ \text{($\pm 2.2$)} \\ \text{tte} \\ \text{,}613) \\ \text{($\pm 1.2\%)} \\ \end{array}$	
178.	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. a. NO! b. no c. yes d. YES! If you drank some beer, wine, or liquor (for example: vodka, whiskey, or gin) without your parent's permission, would you be caught by them? a. NO! b. no	(n = 1) 5.0% 13.1 38.2 43.7 Loc $(n = 1)$ 7.1% 11.7 27.9 53.3 Loc $(n = 1)$ 11.7%	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97) (± 3.5%) (± 3.9) (± 8.0) (± 8.4) al 97) (± 4.1%) (± 6.7)	(n = 2 $4.7%$ 13.0 41.2 41.1 Sta $(n = 2$ $5.4%$ 12.7 29.4 52.6 Sta $(n = 2$ $15.0%$	$\begin{array}{l} \text{($\pm 1.0\%)} \\ \text{(± 1.6)} \\ \text{(± 2.7)} \\ \text{(± 2.2)} \\ \text{ate} \\ \text{,}612) \\ \text{($\pm 1.2\%)} \\ \text{($\pm 1.2$)} \\ \text{($\pm 2.2$)} \\ ($\pm 2.2$	
178.	a. NO! b. no c. yes d. YES! My family has clear rules about alcohol and drug use. a. NO! b. no c. yes d. YES! If you drank some beer, wine, or liquor (for example: vodka, whiskey, or gin) without your parent's permission, would you be caught by them? a. NO!	(n = 1) 5.0% 13.1 38.2 43.7 Loc $(n = 1)$ 7.1% 11.7 27.9 53.3 Loc $(n = 1)$ 11.7% 29.4	99) (± 2.4%) (± 6.5) (± 7.4) (± 7.6) al 97) (± 3.5%) (± 3.9) (± 8.0) (± 8.4) al 97) (± 4.1%)	(n = 2) 4.7% 13.0 41.2 41.1 Sta $(n = 2)$ 5.4% 12.7 29.4 52.6 Sta $(n = 2)$ 15.0% 38.3	$\begin{array}{l} \text{($\pm 1.0\%)} \\ \text{(± 1.6)} \\ \text{(± 2.7)} \\ \text{(± 2.2)} \\ \text{tte} \\ \text{,}612) \\ \text{($\pm 1.2\%)} \\ \text{($\pm 1.2$)} \\ \text{($\pm 2.2$)} \\ \text{tte} \\ \text{,}613) \\ \text{($\pm 1.2\%)} \\ \end{array}$	

180.	If you carried a handgun without your parent's permission, would you be caught by them? †	Loc (n = 1)	96)	Sta $(n=2)$,604)
	a. NO!	9.7%	$(\pm 4.1\%)$	8.8%	$(\pm 1.2\%)$
	b. no	16.3	(± 4.3)	17.6	(± 1.4)
	c. yes	24.5	(± 6.1)	27.2	(± 2.0)
	d. YES!	49.5	(± 7.3)	46.4	(± 2.0)
181.	If you skipped school, would you be caught by your	Loa	a1	Cta	ta
101.	parents? [†]	Loc $(n = 1)$		Sta $(n=2)$	
	a. NO!	n = 1 12.4%	(± 3.1%)	n = 2 9.5%	
		19.6			$(\pm 1.6\%)$
	b. no	26.8	(± 5.5)	20.7	(± 2.2)
	c. yes	41.2	(± 5.3) (± 6.7)	31.1 38.6	(± 2.4)
	d. YES!	41.2	(± 0.7)	36.0	(± 2.7)
How	wrong do your parents feel it would be for <u>you</u> to:				
182.	Drink beer, wine or hard liquor (for example; vodka,	Loc	a1	Sta	te
	whiskey or gin) regularly? [†]	(n=1)		(n=2)	
	a. Very wrong	70.6%	(± 4.5%)	64.0%	$(\pm 1.8\%)$
	b. Wrong	13.7	(± 5.3)	21.1	(± 1.4)
	c. A little bit wrong	9.1	(± 3.1)	10.8	(± 1.4)
	d. Not wrong at all	6.6	(± 3.1) (± 3.9)	4.1	(± 1.1) (± 1.0)
	d. Not wrong at air	0.0	(± 3.7)	7.1	(± 1.0)
		Loc	al	Sta	te
183.	Smoke cigarettes? [†]	(n=1)	.98)	(n=2)	,610)
	a. Very wrong	82.8%	$(\pm 4.9\%)$	78.2%	$(\pm 2.2\%)$
	b. Wrong	10.6	(± 4.3)	14.1	(± 1.8)
	c. A little bit wrong	4.5	(± 2.2)	4.7	(± 1.0)
	d. Not wrong at all	2.0	(± 1.6)	3.0	(± 0.8)
		Loc	al	Sto	to
184.	Smoke marijuana? [†]	(n=1)		State $(n = 2,592)$	
	a. Very wrong	85.1%	$(\pm 4.3\%)$	81.1%	$(\pm 2.5\%)$
	b. Wrong	8.8	(± 3.9)	10.8	(± 1.6)
	c. A little bit wrong	5.2	(± 3.7) (± 3.1)	5.2	(± 1.0) (± 1.0)
	d. Not wrong at all	1.0	(± 3.1) (± 1.2)	2.9	(± 0.6)
	u. Not wrong at an	1.0	(± 1.2)	2.9	(± 0.0)
	a	Loc	al	Sta	te
185.	Steal anything worth more than \$5? [†]	(n = 1)	.97)	(n = 2)	,597)
	a. Very wrong	77.2%	$(\pm4.9\%)$	80.9%	$(\pm 2.2\%)$
	b. Wrong	14.2	(± 3.1)	13.2	(± 1.4)
	c. A little bit wrong	4.1	(± 2.5)	3.8	(± 0.8)
	d. Not wrong at all	4.6	(± 3.1)	2.2	(± 0.6)
186.	Draw graffiti, or write things or draw pictures on buildings	I aa	o1	Sta	to
	or other property (without the owner's permission?) [†]	Loc (n = 1			
		(n = 171.7%)		(n = 2)73.9%	
	a. Very wrong	71.7% 16.7	$(\pm 4.7\%)$		$(\pm 2.4\%)$
	b. Wrong		(± 3.3)	17.4	(± 1.8)
	c. A little bit wrong d. Not wrong at all	8.1 3.5	(± 2.9) (± 2.4)	5.8	(± 1.2)
	A INOLUTORO SEST	1 1	(± 2.4)	2.8	(± 0.6)

		Loc	al	Sta	te
187.	Pick a fight with someone?†	(n=1)		(n=2)	
	a. Very wrong	58.9%	$(\pm 6.5\%)$	54.9%	$(\pm 2.4\%)$
	b. Wrong	24.4	(± 7.8)	28.5	(± 2.0)
	c. A little bit wrong	10.7	(± 4.3)	12.9	(± 1.4)
	d. Not wrong at all	6.1	(± 3.9)	3.6	(± 0.8)
[Item	s 188–194 appear only on the elementary version of the survey.]				
195.	Putting them all together, what were your grades like last	Loc	al	Sta	te
	year?	(n = 5)		(n = 7)	
	a. Mostly As	48.5%	$(\pm 5.1\%)$	35.6%	$(\pm 2.5\%)$
	b. Mostly Bs	30.5	(± 3.5)	34.5	(± 1.4)
	c. Mostly Cs	15.3	(± 2.7)	21.0	(± 1.6)
	d. Mostly Ds	4.0	(± 1.8)	5.8	(± 0.8)
	e. Mostly Fs	1.7	(± 1.2)	3.0	(± 0.6)
196.	Are your school grades better than the grades of most	Loc	o.1	Sta	ta
	students in your class?	(n=2)		(n=3)	
	a. NO!	8.3%	$(\pm 2.5\%)$	8.7%	$(\pm 1.2\%)$
	b. no	26.3	(± 4.1)	32.2	(± 1.8)
	c. yes	46.0	(± 5.7)	44.7	(± 1.8)
	d. YES!	19.4	(± 4.7)	14.4	(± 1.0)
Scho	ool Domain				
197.	How often do you feel the schoolwork you are assigned is	Loc	al	Sta	te
	meaningful and important?	(n=2)		(n = 4,052)	
	a. Almost always	18.4%	(± 3.7%)	12.4%	(± 1.8%)
	b. Often	21.6	(± 5.9)	21.7	(± 1.6)
	c. Sometimes	35.3	(± 4.5)	36.9	(± 1.4)
	d. Seldom	15.9	(± 5.3)	21.2	(± 1.8)
	e. Never	8.8	(± 3.3)	7.7	(± 1.2)
		Τ	.1	Ct.	4.
198.	How interesting are most of your courses to you?	Loc $(n=2)$		Sta $(n = 4)$	
	a. Very interesting and stimulating	9.2%	$(\pm 2.5\%)$	5.7%	$(\pm 1.0\%)$
	b. Quite interesting	26.9	(± 6.7)	23.9	(± 2.0)
	c. Fairly interesting	35.7	(± 5.9)	39.6	(± 1.6)
	d. Slightly dull	19.1	(± 3.7)	22.2	(± 1.8)
	e. Very dull	9.2	(± 3.3)	8.6	(± 1.2)
100					
199.	How important do you think the things you are learning in	Loc		Sta	
	school are going to be for you later in life?	(n=2)		(n=4)	
	a. Very important	27.3%	(± 4.7%)	23.4%	$(\pm 2.5\%)$
	b. Quite important	30.9	(± 4.9)	27.2	(± 1.6)
	c. Fairly important	23.8	(± 3.7)	28.4	(± 2.0)
	d. Slightly important	14.2	(± 4.5)	16.6	(± 1.8)
	e. Not at all important	3.9	(± 2.5)	4.4	(± 1.0)

Think back over the past year in school. How often did you:

		Loc	a1	Sta	ta
200.	Enjoy being in school?	(n=5)		(n=7)	
	a. Never	9.6%	$(\pm 3.7\%)$	8.4%	$(\pm 0.8\%)$
	b. Seldom	15.3	(± 2.7)	18.2	(± 0.8)
	c. Sometimes	33.8	(± 5.3)	32.6	(± 0.0) (± 1.0)
	d. Often	29.7	(± 3.3) (± 4.1)	28.0	(± 1.0) (± 1.2)
	e. Almost always	11.5	(± 3.3)	12.7	(± 1.2) (± 1.2)
	e. Almost always	11.5	(± 3.3)	12.7	(± 1.2)
		Loc	a1	Sta	ta
201.	Hate being in school?	(n=2)		(n=4)	
	a. Never	5.0%	$(\pm 2.4\%)$	6.7%	$(\pm 1.2\%)$
	b. Seldom	23.9	(± 5.7)	27.6	(± 1.8)
	c. Sometimes	40.7	(± 5.1)	37.5	(± 1.6)
	d. Often	16.4	(± 3.7) (± 3.7)	17.9	(± 1.4)
	e. Almost always	13.9	(± 5.7) (± 5.9)	10.4	(± 1.1) (± 1.2)
	c. Almost always	13.7	(= 3.7)	10.1	(= 1.2)
		Loc	al	Sta	te
202.	Try to do your best work in school?	(n=2)		(n=4)	
	a. Never	1.8%	(± 1.4%)	2.3%	$(\pm 0.6\%)$
	b. Seldom	7.5	(± 3.1)	7.6	(± 1.2)
	c. Sometimes	14.2	(± 2.9)	18.5	(± 1.4)
	d. Often	33.8	(± 6.7)	33.5	(± 1.8)
	e. Almost always	42.7	(± 7.3)	38.0	(± 1.8)
	c. Timost arways	.2.,	(= 7.5)	20.0	(= 1.0)
203.	During the LAST 4 WEEKS, how many whole days of	Loc	al	Sta	te
	school have you missed because you skipped or "cut"?	(n=2)		(n=4)	
	a. None	78.2%	(± 5.5%)	81.1%	$(\pm 2.2\%)$
	b. 1	10.0	(± 3.3)	8.6	(± 0.8)
	c. 2	1.4	(± 1.2)	3.0	(± 0.8)
	d. 3	3.2	(± 2.4)	2.7	(± 0.6)
	e. 4 – 5	4.3	(± 2.4)	2.2	(± 0.6)
	f. 6 – 10	1.1	(± 1.2)	0.9	(± 0.4)
	g. 11 or more	1.8	(± 1.4)	1.3	(± 0.4)
	g. II of more	110	(= 11.)	1.0	(= 0)
204.	In my school, students have lots of chances to help decide	Loc	al	Sta	te
	things like class activities and rules.	(n=2)		(n=4)	
	a. NO!	19.9%	(± 4.7%)	21.2%	$(\pm 2.4\%)$
	b. no	31.7	(± 6.7)	33.5	(± 2.2)
	c. yes	38.8	(± 4.9)	36.3	(± 2.9)
	d. YES!	9.6	(± 4.3)	9.0	(± 1.2)
	u. 125.	, , ,	(= 112)	, , ,	()
205.	There are lots of chances for students in my school to talk	Loc	al	Sta	te.
	with a teacher one-on-one.	(n=2)		(n=4)	
	a. NO!	5.7%	(± 2.9%)	5.6%	$(\pm 1.0\%)$
	b. no	16.5	(± 4.5)	17.4	(± 2.0)
	c. yes	57.7	(± 7.1)	55.5	(± 1.4)
	d. YES!	20.1	(± 6.1)	21.5	(± 2.4)
	u. 125.	20.1	(= 0.1)	-110	(= 2)
		Loc	al	Sta	te
206.	Teachers ask me to work on special classroom projects.	(n=2)		(n=4)	
	a. NO!	20.9%	(± 5.5%)	20.2%	$(\pm 1.4\%)$
	b. no	49.5	(± 8.4)	50.0	(± 2.2)
	c. yes	26.7	(± 6.5)	24.9	(± 2.4)
	d. YES!	2.9	(± 2.5)	4.9	(± 0.8)

207.	There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class. a. NO! ^A / Definitely NOT true ^B b. no ^A / Mostly not true ^B c. yes ^A / Mostly true ^B d. YES! A / Definitely true ^B	Loc: (n = 5 5.0% 6.9 42.3 45.9	Sta (n = 7 3.5% 5.9 34.6 56.0	
208.	I have lots of chances to be part of class discussions or activities. a. NO! b. no c. yes d. YES!	Loc. (n = 2 4.3% 13.6 54.1 28.0	Sta (n = 4 3.5% 12.0 56.4 28.0	
209.	My teacher(s) notices when I am doing a good job and lets me know about it. a. NO! b. no c. yes d. YES!	Local (n = 2 7.9%) 22.2 58.8 11.1	Sta (n = 4 7.6% 24.1 53.6 14.7	
210.	The school lets my parents know when I have done something well. a. NO! b. no c. yes d. YES!	Local (n = 2 29.1% 41.0 23.0 6.8	Sta (n = 4 29.0% 43.7 21.1 6.1	
211.	I feel safe at my school. a. NO! ^{A,C} / Definitely NOT true ^B b. no ^{A,C} / Mostly not true ^B c. yes ^{A,C} / Mostly true ^B d. YES! A,C / Definitely true ^B	Loca $(n = 5)$ 7.9% 15.3 59.0 17.7	Sta (n = 7 6.8% 13.0 58.1 22.2	
212.	My teachers praise me when I work hard in school. a. NO! b. no c. yes d. YES!	Loc. $(n = 2)$ 17.9% 38.0 38.7 5.4	Sta (n = 4) 16.1% 39.8 36.4 7.8	

Peer and Individual Domain

How much do you think people risk harming themselves if they:

		Loc	Local $(n = 281)$		ite
213. Smoke one or more packs of ciga	Smoke one or more packs of cigarettes per day?	(n = 2)			,990)
	a. No risk	7.5%	$(\pm 3.5\%)$	4.0%	$(\pm 0.8\%)$
	b. Slight risk	3.9	(± 2.5)	4.6	(± 0.8)
	c. Moderate risk	12.1	(± 3.7)	14.9	(± 1.4)
	d. Great risk	70.5	(± 6.3)	72.7	(± 2.2)
	e. Not sure	6.0	(± 2.7)	3.8	(± 0.8)

		Local		State	
219.	Smoked a cigarette, even just a puff?	(n=2)	(n = 269)		,833)
	a. Never have	72.9%	$(\pm 6.1\%)$	64.9%	$(\pm 2.9\%)$
	b. 10 or younger	11.2	(± 3.9)	11.6	(± 1.4)
	c. 11	3.7	(± 2.2)	4.0	(± 0.8)
	d. 12	2.6	(± 1.8)	3.8	(± 0.6)
	e. 13	2.6	(± 1.8)	5.4	(± 1.0)
	f. 14	4.8	(± 2.4)	6.0	(± 0.8)
	g. 15	1.9	(± 1.8)	3.8	(± 0.6)
	h. 16	0.4	(± 0.8)	0.3	(± 0.2)
	i. 17 or older	0.0	(± 0.0)	0.1	(± 0.0)

Grade 10

220.	Had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)?	Local (<i>n</i> = 529)		State $(n = 7,745)$	
	a. Never have	47.3%	(± 3.9%)	39.6%	$(\pm 1.8\%)$
	b. 10 or younger	12.1	(± 2.9)	12.4	(± 1.0)
	c. 11	4.9	(± 1.8)	4.9	(± 0.6)
	d. 12	6.2	(± 2.0)	7.0	(± 0.6)
	e. 13	9.3	(± 2.2)	11.0	(± 0.8)
	f. 14	8.5	(± 2.0)	13.6	(± 0.8)
	g. 15	11.0	(± 2.4)	10.4	(± 0.8)
	h. 16	0.6	(± 0.8)	0.9	(± 0.2)
	i. 17 or older	0.2	(± 0.4)	0.2	(± 0.0)
[Item	221 appears only on the elementary version of the survey.]				

222.	Began drinking alcoholic beverages regularly, that is, at least once or twice a month?	Loc $(n = 2)$		State $(n = 3.817)$	
	a. Never have	77.4%	(± 3.9%)	72.5%	(± 1.8%)
	b. 10 or younger	1.5	(± 1.4)	1.4	(± 0.4)
	c. 11	2.6	(± 2.0)	1.3	(± 0.4)
	d. 12	2.2	(± 1.4)	2.0	(± 0.4)
	e. 13	3.3	(± 2.4)	3.8	(± 0.6)
	f. 14	5.9	(± 2.0)	7.8	(± 1.0)
	g. 15	5.6	(± 2.0)	10.1	(± 1.2)
	h. 16	1.1	(± 1.2)	0.8	(± 0.2)
	i. 17 or older	0.4	(± 0.8)	0.2	(± 0.2)
223.	Used inhalants?	$\operatorname{Loc}(n=2)$		Sta $(n = 3)$	

222 XX 11.1.1.2		Local		State	
223.	Used inhalants?	(n=2)	(n = 270)		,811)
	a. Never have	91.9%	$(\pm 3.5\%)$	93.4%	$(\pm 1.0\%)$
	b. 10 or younger	0.7	(± 1.0)	1.1	(± 0.2)
	c. 11	1.5	(± 1.8)	0.5	(± 0.2)
	d. 12	1.5	(± 1.2)	0.9	(± 0.2)
	e. 13	0.4	(± 0.8)	1.2	(± 0.4)
	f. 14	1.1	(± 1.2)	1.2	(± 0.4)
	g. 15	1.1	(± 1.2)	1.5	(± 0.4)
	h. 16	0.7	(± 1.0)	0.1	(± 0.2)
	i. 17 or older	1.1	(± 1.2)	0.2	(± 0.2)

		Local		State	
224.	Used heroin?	(n=2)	(n = 270)		,816)
	a. Never have	95.2%	$(\pm 2.5\%)$	96.6%	$(\pm 0.8\%)$
	b. 10 or younger	0.7	(± 1.0)	0.8	(± 0.4)
	c. 11	1.5	(± 1.4)	0.4	(± 0.2)
	d. 12	0.4	(± 0.6)	0.4	(± 0.2)
	e. 13	0.7	(± 1.0)	0.4	(± 0.2)
	f. 14	0.0	(± 0.0)	0.4	(± 0.2)
	g. 15	0.4	(± 0.8)	0.5	(± 0.2)
	h. 16	0.7	(± 1.0)	0.2	(± 0.2)
	i. 17 or older	0.4	(± 0.8)	0.2	(± 0.2)

225.	Used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines.	t include other types of amphetamines. $(n = 269)$		State $(n = 3,814)$	
	a. Never have	94.4%	$(\pm 3.1\%)$	94.9%	$(\pm 1.0\%)$
	b. 10 or younger	0.7	(± 1.0)	0.8	(± 0.2)
	c. 11	0.7	(± 1.0)	0.6	(± 0.2)
	d. 12	1.1	(± 1.2)	0.5	(± 0.2)
	e. 13	1.1	(± 1.2)	0.7	(± 0.2)
	f. 14	1.1	(± 1.4)	1.3	(± 0.4)
	g. 15	0.4	(± 0.8)	1.0	(± 0.4)
	h. 16	0.0	(± 0.0)	0.2	(± 0.2)
	i. 17 or older	0.4	(± 0.8)	0.1	(± 0.2)
How o	old were you when you first:				
		Loc	al	Sta	ite
226.	Got suspended from school?	(n=2)		(n = 3)	
	a. Never have	80.4%	$(\pm 4.5\%)$	76.5%	$(\pm 2.7\%)$
	b. 10 or younger	6.7	(± 2.9)	5.8	(± 1.2)
	c. 11	1.9	(± 1.8)	2.4	(± 0.6)
	d. 12	2.6	(± 2.4)	3.5	(± 0.6)
	e. 13	5.2	(± 2.4)	5.6	(± 1.0)
	f. 14	1.9	(± 1.2)	4.3	(± 0.8)
	g. 15	1.5	(± 1.2)	1.7	(± 0.4)
	h. 16	0.0	(± 0.0)	0.1	(± 0.2)
	i. 17 or older	0.0	(± 0.0)	0.2	(± 0.2) (± 0.2)
	1. 17 of older	0.0	(= 0.0)	0.2	(= 0.2)
227.	Got arrested?	Loca		Sta	
227.		(n = 2)88.5%		(n = 3 89.2%)	(± 1.6%)
	a. Never have	1.9	$(\pm 4.7\%)$		
	b. 10 or younger		(± 1.8)	1.3	(± 0.4)
	c. 11	1.5	(± 1.4)	0.8	(± 0.4)
	d. 12	1.5	(± 1.2)	1.1	(± 0.4)
	e. 13	3.7	(± 1.8)	2.3	(± 0.6)
	f. 14	0.0	(± 0.0)	2.6	(± 0.6)
	g. 15	2.6	(± 2.0)	2.2	(± 0.6)
	h. 16	0.4	(± 0.8)	0.3	(± 0.2)
	i. 17 or older	0.0	(± 0.0)	0.1	(± 0.2)
220		Loc		Sta	
228.	Carried a handgun?	(n=2)		(n = 3)	,789)
	a. Never have	91.4%	$(\pm 3.7\%)$	90.4%	$(\pm 1.4\%)$
	b. 10 or younger	3.0	(± 1.8)	2.5	(± 0.6)
	c. 11	1.1	(± 1.2)	1.2	(± 0.4)
	d. 12	0.7	(± 1.0)	1.1	(± 0.4)
	e. 13	2.6	(± 2.0)	1.4	(± 0.4)
	f. 14	0.4	(± 0.8)	1.5	(± 0.4)
	g. 15	0.4	(± 0.8)	1.6	(± 0.4)
	h. 16	0.0	(± 0.0)	0.2	(± 0.2)
	i. 17 or older	0.4	(± 0.8)	0.1	(± 0.0)
	1. 17 Of Older	0.1	(= 0.0)		(/

220		Loc	al	Sta	te
229.	Attacked someone with the idea of seriously hurting them?	(n=2)		(n = 3)	
	a. Never have	81.7%	$(\pm 3.7\%)$	81.4%	$(\pm 1.6\%)$
	b. 10 or younger	5.2	(± 2.5)	4.9	(± 0.8)
	c. 11	2.2	(± 1.4)	1.3	(± 0.4)
	d. 12	2.6	(± 2.4)	2.6	(± 0.4)
	e. 13	3.0	(± 2.2)	3.1	(± 0.6)
	f. 14	1.9	(± 1.6)	3.4	(± 0.6)
	g. 15	3.0	(± 2.0)	2.8	(± 0.6)
	h. 16	0.4	(± 0.8)	0.4	(± 0.2)
	i. 17 or older	0.0	(± 0.0)	0.1	(± 0.0)
	i. I / of older	0.0	(= 0.0)	0.1	(= 0.0)
How	wrong do you think it is for someone your age to:				
230.	Drink beer, wine, or hard liquor (for example: vodka,	Loc	al	Sta	ta
	whiskey, or gin) regularly?	(n=2)		(n=3)	
	a. Very wrong	50.8%	$(\pm 9.2\%)$	41.0%	$(\pm 2.0\%)$
	b. Wrong	26.9	(± 7.270) (± 7.1)	24.3	(± 1.4)
	6	14.6	(± 7.1) (± 3.3)	22.8	(± 1.4) (± 1.2)
	c. A little bit wrong	7.7	(± 3.9)	11.9	(± 1.2) (± 1.4)
	d. Not wrong at all	7.7	(± 3.9)	11.9	(± 1.4)
		Loc	al	Sta	te
231.	Smoke cigarettes?	(n = 4)	192)	(n = 7)	,173)
	a. Very wrong	63.4%	$(\pm 5.1\%)$	56.2%	$(\pm 2.0\%)$
	b. Wrong	21.3	(± 3.7)	24.3	(± 1.2)
	c. A little bit wrong	11.2	(± 2.5)	12.7	(± 0.8)
	d. Not wrong at all	4.1	(± 1.6)	6.8	(± 0.8)
222	a 1 a	Loc	al	Sta	te
232.	Smoke marijuana?	(n=2)		(n = 3)	
	a. Very wrong	68.5%	$(\pm 6.5\%)$	57.1%	$(\pm 2.0\%)$
	b. Wrong	16.2	(± 4.5)	19.8	(± 1.2)
	c. A little bit wrong	10.0	(± 3.3)	13.5	(± 1.2)
	d. Not wrong at all	5.4	(± 2.0)	9.6	(± 1.4)
		τ.	1	G.	
233.	Use LSD, cocaine, amphetamines, or another illegal drug?	Loc		Sta	
200.		(n = 27)	$(\pm 5.5\%)$	(n = 3)	
	a. Very wrong			80.7%	(± 1.6%)
	b. Wrong	14.6	(± 4.9)	12.5	(± 1.2)
	c. A little bit wrong	3.8	(± 2.2)	4.2	(± 0.8)
	d. Not wrong at all	2.3	(± 1.4)	2.6	(± 0.4)
		Loc	al	Sta	te.
234.	Take a handgun to school?	(n=2)		(n=3)	
	a. Very wrong	83.1%	(± 3.7%)	84.7%	(± 1.6%)
	b. Wrong	12.0	(± 3.3)	10.7	(± 1.2)
	c. A little bit wrong	1.5	(± 1.4)	3.2	(± 0.6)
	d. Not wrong at all	3.4	(± 1.6)	1.4	(± 0.0) (± 0.4)
	d. Not wrong at an	Э.т	(± 1.0)	1,4	(± 0.4)
		Loc	al	Sta	te
235.	Steal anything worth more than \$5?	(n=2)	265)	(n = 3)	
	a. Very wrong	55.5%	$(\pm 8.6\%)$	54.6%	$(\pm 2.4\%)$
	b. Wrong	24.5	(± 6.5)	28.0	(± 1.4)
	c. A little bit wrong	15.8	(± 4.1)	13.3	(± 1.4)
	d. Not wrong at all	4.2	(± 2.5)	4.1	(± 0.8)
	-				

		Loc	al	Sta	te
236.	Steal anything worth less than \$5?	(n=2)		(n=3)	
	a. Very wrong	45.5%	(± 6.7%)	43.1%	$(\pm 2.4\%)$
	b. Wrong	23.5	(± 4.7)	28.0	(± 1.4)
	c. A little bit wrong	21.2	(± 6.3)	21.1	(± 1.8)
	d. Not wrong at all	9.8	(± 2.9)	7.8	(± 1.0)
	Ç				
227	D'.1 C'.1	Loc		Sta	
237.	Pick a fight with someone?	(n=2)	*	(n=3)	
	a. Very wrong	40.5%	$(\pm 7.4\%)$	37.5%	$(\pm 1.8\%)$
	b. Wrong	35.1	(± 4.1)	33.4	(± 1.6)
	c. A little bit wrong	17.2	(± 3.9)	21.4	(± 1.4)
	d. Not wrong at all	7.3	(± 3.5)	7.7	(± 0.8)
		Loc	ol.	Sta	to
238.	Attack someone with the idea of seriously hurting them?	(n=2)		(n=3)	
	a. Very wrong	62.4%	(± 5.1%)	62.1%	(± 1.4%)
	b. Wrong	24.7	(± 4.5)	23.8	(± 1.2)
	c. A little bit wrong	9.5	(± 3.5)	10.2	(± 1.0)
	d. Not wrong at all	3.4	(± 2.4)	3.9	(± 0.8)
	an incompany and and		(= = , ,		(= 3.3)
239.	Stay away from school all day when their parents think they	Loc	al	Sta	te
	are at school?	(n = 2)	(64)	(n = 3)	,727)
	a. Very wrong	47.0%	$(\pm 9.0\%)$	42.6%	$(\pm 2.4\%)$
	b. Wrong	32.2	(± 7.1)	33.0	(± 2.0)
	c. A little bit wrong	17.0	(± 4.5)	18.3	(± 1.6)
	d. Not wrong at all	3.8	(± 2.4)	6.1	(± 0.8)
XX71 .					
What	are the chances you would be seen as cool if you:	_	_	_	
240.	Smoked cigarettes?	Loc		Sta	
240.		(n=2)	*	(n = 3)	
	a. No or very little chance	60.1%	$(\pm 5.7\%)$	56.1%	$(\pm 2.0\%)$
	b. Little chance	21.9	(± 4.5)	23.3	(± 1.4)
	c. Some chance	10.4 3.6	(± 3.7) (± 1.8)	13.8 4.3	(± 1.4) (± 0.6)
	d. Pretty good chance	4.0	(± 1.6) (± 2.2)	2.5	(± 0.0) (± 0.4)
	e. Very good chance	4.0	(± 2.2)	2.3	(± 0. 4)
241.	Began drinking alcoholic beverages regularly, that is, at	Loc	al	Sta	te
	least once or twice a month?	(n = 2)		(n = 3)	
	a. No or very little chance	43.7%	(± 6.3%)	36.9%	$(\pm 2.2\%)$
	b. Little chance	22.6	(± 3.7)	23.5	(± 1.4)
	c. Some chance	16.5	(± 4.3)	22.4	(± 1.6)
	d. Pretty good chance	12.2	(± 4.5)	12.7	(± 1.2)
	e. Very good chance	5.0	(± 2.5)	4.4	(± 0.8)
242.	Smoked marijuana?	Loc		Sta	
	•	(n = 2) 52.5%	(± 5.7%)	(n = 3 45.7%	,955) (± 2.0%)
	a. No or very little chanceb. Little chance	21.6	$(\pm 3.7\%)$ (± 4.9)	21.9	$(\pm 2.0\%)$ (± 1.4)
	c. Some chance	13.3	(± 4.9) (± 5.1)	17.9	(± 1.4) (± 1.4)
	d. Pretty good chance	6.1	(± 3.1) (± 2.4)	9.0	(± 1.4) (± 1.2)
	e. Very good chance	6.5	(± 2.4) (± 2.5)	5.6	(± 0.8)
	c. very good chance	0.5	(± 2.3)	5.0	(± 0.0)

	Local		State	
Carried a handgun?	(n=2)	76)	(n = 3)	,956)
a. No or very little chance	71.0%	$(\pm 4.7\%)$	72.7%	$(\pm 2.0\%)$
b. Little chance	15.9	(± 4.3)	14.5	(± 1.4)
c. Some chance	6.2	(± 2.7)	6.5	(± 1.0)
d. Pretty good chance	2.5	(± 2.4)	3.2	(± 0.6)
e. Very good chance	4.3	(± 2.4)	3.0	(± 0.6)
	b. Little chance c. Some chance d. Pretty good chance	Carried a handgun? $(n = 2)$ a. No or very little chance 71.0% b. Little chance 15.9 c. Some chance 6.2 d. Pretty good chance 2.5	Carried a handgun? $(n = 276)$ a. No or very little chance 71.0% ($\pm 4.7\%$) b. Little chance 15.9 (± 4.3) c. Some chance 6.2 (± 2.7) d. Pretty good chance 2.5 (± 2.4)	Carried a handgun? $(n = 276)$ $(n = 3)$ a. No or very little chance 71.0% ($\pm 4.7\%$) 72.7% b. Little chance 15.9 (± 4.3) 14.5 c. Some chance 6.2 (± 2.7) 6.5 d. Pretty good chance 2.5 (± 2.4) 3.2

Think of your <u>four best friends</u> (the friends you feel closest to). In the past year (12 months), how many of your best friends have . . .

best fi	riends have				
		Loc	al	Sta	te
244.	Smoked cigarettes?	(n = 2)	60)	(n = 3)	,656)
	a. None	70.0%	$(\pm 7.6\%)$	60.8%	$(\pm 2.5\%)$
	b. 1	13.1	(± 4.3)	16.4	(± 1.0)
	c. 2	7.3	(± 2.9)	9.7	(± 1.2)
	d. 3	3.5	(± 2.2)	5.1	(± 0.8)
	e. 4	6.2	(± 2.9)	8.0	(± 1.4)
245.	Tried beer, wine, or hard liquor (for example: vodka,	Loc	al	Sta	te
	whiskey, or gin) when their parents didn't know about it?	(n=2)	59)	(n = 3)	,648)
	a. None	49.8%	$(\pm 5.3\%)$	38.7%	$(\pm 2.4\%)$
	b. 1	18.1	(± 3.7)	17.0	(± 1.2)
	c. 2	8.9	(± 3.5)	13.3	(± 1.0)
	d. 3	8.1	(± 2.7)	10.7	(± 0.8)
	e. 4	15.1	(± 4.5)	20.3	(± 2.0)
		Loc	al	Sta	te
246.	Used marijuana?	(n=2)	60)	(n = 3)	,649)
	a. None	70.4%	$(\pm 5.3\%)$	58.5%	$(\pm 2.4\%)$
	b. 1	9.6	(± 3.1)	16.0	(± 1.4)
	c. 2	8.5	(± 2.7)	9.5	(± 1.2)
	d. 3	2.7	(± 1.8)	5.9	(± 0.8)
	e. 4	8.8	(± 3.1)	10.1	(± 1.2)
		Loc	al	Sta	te
247.	Used LSD, cocaine, amphetamines, or other illegal drugs?	(n=2)		(n = 3)	
	a. None	89.5%	$(\pm 3.5\%)$	87.7%	$(\pm 1.4\%)$
	b. 1	5.8	(± 2.9)	6.6	(± 0.8)
	c. 2	1.6	(± 1.8)	3.0	(± 0.8)
	d. 3	1.2	(± 1.6)	1.0	(± 0.4)
	e. 4	1.9	(± 1.8)	1.8	(± 0.4)
240	D 1.16 1.10	Loc	al	Sta	te
248.	Been suspended from school?	(n=2)	*	(n = 3)	
	a. None of my friends	71.3%	$(\pm 6.7\%)$	70.1%	$(\pm 2.7\%)$
	b. 1 of my friends	15.1	(± 4.1)	17.1	(± 1.6)
	c. 2 of my friends	4.3	(± 2.2)	6.8	(± 1.0)
	d. 3 of my friends	3.2	(± 2.0)	2.2	(± 0.4)
	e. 4 of my friends	6.1	(± 2.9)	3.8	(± 0.8)

		Loc	al	Sta	te.
249.	Carried a handgun?	(n=2)		(n=3)	
	a. None of my friends	90.0%	(± 4.7%)	91.2%	(± 1.2%)
	b. 1 of my friends	4.3	(± 3.1)	5.2	(± 0.8)
	c. 2 of my friends	1.8	(± 1.4)	2.0	(± 0.4)
	d. 3 of my friends	1.1	(± 1.2)	0.5	(± 0.2)
	e. 4 of my friends	2.9	(± 2.2)	1.2	(± 0.4)
	•		,		` /
250	0.11:11 1.1 0	Loc	al	Sta	
250.	Sold illegal drugs?	(n = 2)	,	(n = 3)	
	a. None of my friends	78.2%	$(\pm 5.5\%)$	75.9%	$(\pm 2.0\%)$
	b. 1 of my friends	10.4	(± 2.2)	13.3	(± 1.0)
	c. 2 of my friends	5.7	(± 2.7)	5.1	(± 0.6)
	d. 3 of my friends	1.8	(± 1.6)	2.1	(± 0.6)
	e. 4 of my friends	3.9	(± 2.5)	3.6	(± 0.8)
251.	Stolen or tried to steal a motor vehicle such as a car or	Loc	o1	Sta	to
	motorcycle?	(n=2)		(n=3)	
	a. None of my friends	$\frac{n-2}{87.1\%}$	$(\pm 4.9\%)$	88.2%	$(\pm 1.4\%)$
	b. 1 of my friends	5.7	(± 2.5)	7.3	(± 1.0)
	c. 2 of my friends	2.5	(± 1.8)	2.2	(± 0.6)
	d. 3 of my friends	1.4	(± 1.0) (± 1.2)	0.8	(± 0.0) (± 0.2)
	e. 4 of my friends	3.2	(± 1.2) (± 1.8)	1.6	(± 0.2) (± 0.4)
	c. For my menus	3.2	(= 1.0)	1.0	(= 0.1)
		Loc	al	Sta	te
252.	Been arrested?	(n = 2)	79)	(n = 3)	,906)
	a. None of my friends	79.6%	$(\pm 6.7\%)$	79.2%	$(\pm 2.4\%)$
	b. 1 of my friends	11.1	(± 4.5)	12.7	(± 1.6)
	c. 2 of my friends	2.5	(± 2.5)	4.1	(± 0.6)
	d. 3 of my friends	2.9	(± 2.2)	1.6	(± 0.4)
	e. 4 of my friends	3.9	(± 2.5)	2.4	(± 0.6)
		Loo	o1	Sto	t a
253.	Dropped out of school?	Loc $(n=2)$		Sta $(n=3)$	
	a. None of my friends	89.6%	$(\pm 5.3\%)$	88.6%	$(\pm 1.4\%)$
	b. 1 of my friends	4.3	(± 3.370) (± 3.1)	7.3	(± 1.470) (± 1.0)
	c. 2 of my friends	2.5	(± 3.1) (± 1.8)	2.3	(± 0.6)
	d. 3 of my friends	1.1	(± 1.8) (± 1.2)	0.8	(± 0.0) (± 0.4)
	e. 4 of my friends	2.5	(± 1.2) (± 1.8)	1.1	(± 0.4) (± 0.4)
	c. For my menus	2.5	(± 1.0)	1.1	(= 0.1)
27.4		Loc	al	Sta	te
254.	When I am an adult I will smoke cigarettes.	(n = 2)		(n = 3)	,658)
	a. NO!	73.7%	$(\pm 5.3\%)$	76.0%	$(\pm 1.8\%)$
	b. no	18.5	(± 3.7)	16.6	(± 1.2)
	c. yes	5.4	(± 2.2)	4.6	(± 0.8)
	d. YES!	2.3	(± 1.8)	2.7	(± 0.6)
		Loc	a1	Sta	to
255.	When I am an adult I will drink beer, wine, or liquor.	(n=2)		(n=3)	
	a. NO!	$\frac{n-2}{29.2\%}$	$(\pm 5.5\%)$	23.4%	$(\pm 2.2\%)$
	b. no	23.1	(± 4.5)	18.8	(± 1.4)
	c. yes	37.7	(± 6.1)	41.4	(± 1.4) (± 2.2)
	d. YES!	10.0	(± 0.1) (± 4.1)	16.5	(± 1.4)
	u. ILD.	10.0	(= 1.1)	10.5	(± 1.7)

		Loc	al	Sta	te
256.	When I am an adult I will smoke marijuana.	(n = 2)	60)	(n = 3)	,656)
	a. NO!	77.7%	$(\pm 4.7\%)$	73.2%	$(\pm 2.0\%)$
	b. no	16.5	(± 4.3)	16.1	(± 1.6)
	c. yes	3.5	(± 2.4)	6.4	(± 1.2)
	d. YES!	2.3	(± 2.0)	4.3	(± 0.8)

Think about your <u>four best friends</u> (the friends you feel closest to). In the past year (12 months), how many of your best friends have...

your	best friends have				
255		Loc		Sta	te
257.	Participated in clubs, organizations or activities at school?	(n = 2)	,	(n = 3)	
	a. None of my friends	18.5%	$(\pm 5.9\%)$	16.2%	$(\pm 2.2\%)$
	b. 1 of my friends	13.1	(± 3.5)	14.3	(± 1.4)
	c. 2 of my friends	18.5	(± 4.5)	16.6	(± 1.4)
	d. 3 of my friends	10.0	(± 3.5)	12.5	(± 1.2)
	e. 4 of my friends	40.0	(± 9.0)	40.4	(± 3.1)
258.	Mada a commitment to stay drug free?	Loc		Sta	
236.	Made a commitment to stay drug-free?	(n=2)		(n=3)	
	a. None of my friends	30.0%	(± 5.5%)	25.2%	(± 1.8%)
	b. 1 of my friends	12.8	(± 4.3)	13.8	(± 1.6)
	c. 2 of my friends	8.6	(± 3.9)	11.6	(± 1.2)
	d. 3 of my friends	7.4	(± 3.3)	10.4	(± 0.8)
	e. 4 of my friends	41.2	(± 6.7)	39.0	(± 2.5)
		т	.1	Ct -	4 -
259.	Liked school?	Loc $(n=2)$		Sta $(n=3)$	
	a. None of my friends	$\frac{n-2}{33.5\%}$	$(\pm 8.0\%)$	$\frac{(n-3)}{28.5\%}$	$(\pm 2.0\%)$
	b. 1 of my friends	14.0	(± 5.3)	14.6	(± 1.2)
	c. 2 of my friends	15.2	(± 3.5) (± 3.5)	17.4	(± 1.2) (± 1.2)
	d. 3 of my friends	10.9	(± 3.3) (± 2.9)	13.9	(± 1.2) (± 1.2)
	e. 4 of my friends	26.5	(± 2.3) (± 7.3)	25.5	(± 1.2) (± 2.0)
	e. 4 of my mends	20.3	(± 7.3)	23.3	(± 2.0)
		Loc	al	Sta	te
260.	Regularly attended religious services?	(n=2)		(n=3)	
	a. None of my friends	27.9%	(± 6.1%)	29.5%	$(\pm 2.2\%)$
	b. 1 of my friends	23.3	(± 4.3)	24.7	(± 1.8)
	c. 2 of my friends	20.9	(± 6.1)	18.8	(± 1.6)
	d. 3 of my friends	11.2	(± 4.7)	11.5	(± 1.4)
	e. 4 of my friends	16.7	(± 5.5)	15.6	(± 1.8)
			` ,		, ,
		Loc	al	Sta	te
261.	Tried to do well in school?	(n = 2)	(58)	(n = 3)	,659)
	a. None of my friends	9.7%	$(\pm 3.7\%)$	8.4%	$(\pm 1.4\%)$
	b. 1 of my friends	5.4	(± 2.2)	7.5	(± 1.0)
	c. 2 of my friends	10.1	(± 3.1)	12.5	(± 1.4)
	d. 3 of my friends	16.3	(± 4.7)	18.0	(± 1.2)
	e. 4 of my friends	58.5	(± 5.5)	53.6	(± 2.2)
262.	I think it is okay to take something without asking as long as	Loc	al	Sta	te
	you get away with it.	(n = 2)	81)	(n = 3)	,974)
	a. NO!	49.8%	$(\pm 6.3\%)$	49.7%	$(\pm 2.0\%)$
	b. no	34.2	(± 7.1)	35.9	(± 1.8)
	c. yes	12.5	(± 4.7)	9.2	(± 0.8)
	d. YES!	3.6	(± 2.2)	5.2	(± 0.8)

		Loc	.a1	Sta	nto
263.	I think sometimes it's okay to cheat at school.	(n=2)		(n=3)	
	a. NO!	28.2%	(± 4.7%)	29.9%	$(\pm 1.6\%)$
	b. no	41.8	(± 4.9)	35.8	(± 1.8)
	c. yes	22.5	(± 4.7)	27.3	(± 1.6)
	d. YES!	7.5	(± 3.3)	7.0	(± 1.0)
		,	(= = .=)		(=)
		Loc	al	Sta	ıte
264.	It is all right to beat up people if they start the fight.	(n = 2)	280)	(n = 3)	,964)
	a. NO!	23.9%	$(\pm 5.5\%)$	24.1%	$(\pm 1.8\%)$
	b. no	27.1	(± 5.1)	25.1	(± 1.6)
	c. yes	28.6	(± 4.9)	28.3	(± 1.6)
	d. YES!	20.4	(± 4.9)	22.5	(± 2.0)
265.	It is important to be honest with your parents, even if they	T	1	G,	
203.	become upset or you get punished.	Loc $(n=2)$		Sta	
	a. NO!	$\frac{n-2}{5.0\%}$	$(\pm 2.7\%)$	(n = 3 7.9%	(± 1.0%)
	b. no	15.1	(± 4.3)	14.6	$(\pm 1.0\%)$ (± 1.2)
		39.8	(± 3.9)	42.1	(± 1.2) (± 1.6)
	c. yes d. YES!	40.1	(± 5.7) (± 5.7)	35.4	(± 1.0) (± 2.0)
	u. ILD.	10.1	(= 3.7)	33.1	(= 2.0)
How	many times in the past year (12 months) have you				
		Loc	al	Sta	nte.
266.	Participated in clubs, organizations or activities at school?	(n=2)		(n=4)	
	a. Never	21.2%	(± 6.9%)	18.1%	(± 2.7%)
	b. 1 or 2 times	24.0	(± 3.7)	22.1	(± 1.4)
	c. 3 to 5 times	20.5	(± 6.5)	18.5	(± 1.4)
	d. 6 to 9 times	8.1	(± 3.1)	9.2	(± 1.2)
	e. 10 to 19 times	8.1	(± 3.5)	9.0	(± 1.2)
	f. 20 to 29 times	2.8	(± 2.4)	4.8	(± 0.8)
	g. 30 to 39 times	1.4	(± 1.2)	2.6	(± 0.4)
	h. 40+ times	13.8	(± 5.1)	15.6	(± 1.8)
		_		_	
267.	Done extra work on your own for school?	Loc		Sta	
207.	a. Never	(n = 2)		(n = 4)	
	b. 1 or 2 times	25.7	$(\pm 4.7\%)$ (± 3.9)	20.5%	(± 2.2%) (± 1.4)
	c. 3 to 5 times	16.4	(± 3.9) (± 4.1)	16.8	(± 1.4) (± 1.4)
	d. 6 to 9 times	6.8	(± 2.7)	10.3	(± 1.4) (± 1.0)
	e. 10 to 19 times	6.8	(± 2.7) (± 2.9)	7.8	(± 0.8)
	f. 20 to 29 times	6.1	(± 2.5) (± 2.5)	4.4	(± 0.8)
	g. 30 to 39 times	0.7	(± 1.0)	1.6	(± 0.4)
	h. 40+ times	7.1	(± 3.1)	5.0	(± 0.8)
			` /		` ′
268.	Volunteered to do community service?	Loc		Sta	
208.	•	(n=2)		(n=4)	
	a. Never	37.9%	$(\pm 9.0\%)$	40.9%	(± 3.9%)
	b. 1 or 2 times	24.3	(± 4.1)	25.0	(± 1.4)
	c. 3 to 5 times	12.5	(± 4.3)	13.5	(± 1.4)
	d. 6 to 9 times	8.2	(± 2.9)	7.5	(± 1.4)
	e. 10 to 19 times	5.7	(± 2.5)	5.8	(± 0.8)
	f. 20 to 29 times	2.9	(± 2.0)	2.6	(± 0.4)
	g. 30 to 39 times h. 40+ times	0.4 8.2	(± 0.6)	0.8	(± 0.4)
	II. 40⊤ UIIICS	0.2	(± 2.9)	3.8	(± 0.8)

- 269. You're looking at CDs in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There is nobody in sight, no employees, and no other customers. What would you do now?
 - a. Ignore her
 - b. Grab a CD and leave the store
 - c. Tell her to put the CD back
 - d. Act like it's a joke and ask her to put the CD back
- 270. It's 8:00 on a weeknight and you are about to go over to a friend's house when your mom asks you where you are going. You say, "Oh, just going to hang out with some friends." She says, "No, you'll just get into trouble if you go out. Stay home tonight." What would you do now?
 - a. Leave the house anyway
 - b. Explain what you are going to do with your friends, tell her when you will get home, and ask if you can go out
 - c. Not say anything and start watching TV
 - d. Get into an argument with her
- 271. You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As he is about to pass you, he deliberately bumps into you and you almost lose your balance. What would you say or do?
 - a. Push the person back
 - b. Say nothing and keep on walking
 - c. Say, "Watch where you're going," and keep on walking
 - d. Swear at the person and walk away
- 272. You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?
 - a. Drink it
 - b. Tell your friend, "No thanks. I don't drink," and suggest that you and your friend go and do something else
 - c. Just say, "No, thanks," and walk away
 - d. Make up a good excuse, tell your friend you had something else to do, and leave

Local		State		
(n = 2)	81)	(n = 3,947)		
18.9%	$(\pm 4.7\%)$	20.6%	$(\pm 1.4\%)$	
13.9	(± 4.3)	12.1	(± 1.2)	
31.7	(± 4.9)	32.9	(± 1.8)	
35.6	(± 5.5)	34.4	(± 1.6)	

Local		State		
(n = 2)	277)	(n = 3)	,937)	
6.1%	$(\pm 3.1\%)$	8.0%	$(\pm 1.0\%)$	
75.5	(± 5.9)	72.3	(± 1.8)	
13.0	(± 4.9)	8.4	(± 1.2)	
5.4	(± 2.5)	11.3	(± 1.0)	

Local		State		
(n = 277)		(n = 3.920)		
10.5%	$(\pm 3.5\%)$	10.7%	$(\pm 1.2\%$	
41.5	(± 6.1)	43.3	(± 2.2)	
36.8	(± 8.0)	31.5	(± 1.8)	
11.2	(± 3.3)	14.5	(± 1.2)	

Loc	al	State		
(n=2)	279)	(n = 3.916)		
29.7%	$(\pm 4.9\%)$	35.6%	$(\pm 2.0\%)$	
33.7	(± 6.7)	30.6	(± 1.8)	
26.9	(± 6.1)	26.1	(± 1.2)	
9.7	(± 3.1)	7.6	(± 0.8)	

List of Core Items

The core items that appeared on both Forms A and B (the secondary versions of the survey) are listed below. All other items appeared on either Form A or Form B, but not both. Core items may or may not have appeared on Form C (the elementary version).

Item	Description	Item	Description
1	Age	38	Would smoke if offered cigarette by a friend
3	Gender	39	Intent to smoke within the next year
4	Race/Ethnicity	40	Age when first smoked a cigarette
5	Language spoken at home	61	Binge drinking (past 2 weeks)
7	Father's education	62	Drunk or high at school (past 12 months)
8	Mother's education	114	Weapon carrying (past 30 days)
11	Honesty in completing survey	115	Weapon carrying on school property (past 30 days)
13	Lifetime use of cigarettes	117	Physical fighting (past 12 months)
15	Lifetime use of alcohol	125	Depression (past 12 months)
16	Lifetime use of marijuana	135	Been bullied (past 30 days)
24	30-day use of cigarettes	195	Grades in school (past 12 months)
25	30-day use of chewing tobacco	200	Enjoyed being in school (past 12 months)
30	30-day use of alcohol	207	Have opportunities for involvement at school
31	30-day use of marijuana or hashish	211	Feel safe at school
32/33	30-day use of illegal drugs	217	Age when first smoked marijuana
34	30-day use of methamphetamines	220	Age when first drank alcohol
35	30-day use of Ecstasy or MDMA	231	Perceived wrongness of smoking
36	30-day use of Ritalin		-

Item Index

A at first 10 41 49 217	Einhainn 114 117 110 120 122	Calacal (cautium A
Age at first use 40, 41, 48, 217,	Fighting 114, 117, 118, 120–122,	School (continued)
219, 220, 222–225	187, 229, 237, 238, 264	Involvement 204–208
Alcohol	Fitness	Safety 111–113
Age at first use 220, 222	Body weight 64–72	Schoolwork 197–199
Attitudes 160, 162, 179, 182,	Exercise 77–82	Substance use at 46, 62
216, 230, 241, 245, 255	Physical Education 83, 84	Weapons at 115, 116, 234
Driving 108–110	Gangs 118	Suicide 126–131
Source 63, 154	Guns (see Weapons)	Teams (see Clubs)
Use 15, 30, 61, 62, 221	Honesty 11, 263, 265	Theft 185, 235, 236, 251, 262
Arrest 227, 252	Marijuana (see Drugs)	Tobacco
Asthma 89–98	Medical care 89, 92, 93, 99–102,	Advertising 50, 51, 54
Bullying 135–139	129	Chewing 14, 25, 48
Clubs 166–170, 207, 257, 266	Methamphetamines (see Drugs)	Cigarettes 12, 13, 23, 24, 37–42,
Cocaine (see Drugs)	Nutrition 73–76	55, 155, 161, 183, 213, 219,
Demographics 1–10	Risk of harm 42, 49, 58, 60, 213–	231, 240, 244, 254
Depression 125–134	216	Prevention 43–45, 58
Diabetes 99, 100	Rules enforcement 45, 162–164,	Quitting 47, 56, 57
Disabilities 85–88, 139	174–187	Secondhand smoke 49, 52, 53, 55
Drugs	Safety 103–113, 123, 124, 211	Source 59, 155
Cocaine 19, 157, 233, 247	School	Use 24–29, 46
Marijuana 16, 31, 60, 156, 159,	Absence 94, 181, 203, 226, 239,	TV/Video Games 80–82
164, 184, 214, 215, 217, 218,	248, 253	Weapons
232, 242, 246, 256	Achievement 195, 196, 202, 261	Guns 114–116, 119, 158, 163,
Methamphetamines 17, 34, 225	Climate 140, 141, 209–212	180, 228, 234, 243, 249
Other drugs 18, 20, 21, 22, 32,	Enjoyment 200, 201, 259	Other weapons 114–116
33, 35, 36, 62, 223, 224, 250,	Fighting at 120	•
258		